

Sevoflurane inhalational introduction in the elderly: a comparison with intravenous induction

Submission date 12/09/2003	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 12/09/2003	Overall study status Completed	☐ Statistical analysis plan ☐ Results
Last Edited 11/10/2016	Condition category Surgery	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr MH Nathanson

Contact details
Department of Anaesthesia
C Floor, University Hospital
Nottingham
United Kingdom
NG7 2UH

Additional identifiers

Protocol serial number
N0192080350

Study information

Scientific Title
Sevoflurane inhalational introduction in the elderly: a comparison with intravenous induction

Study objectives
The aim of the study is to compare the effects of an inhalational induction of anaesthesia with sevoflurane with an intravenous induction in elderly patients. In particular, we will assess the

effects on cardiovascular parameters (heart rate, blood pressure), and cerebral blood flow velocity. We hypothesise that compared with an intravenous induction an inhalational induction will be more stable.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Anaesthesia

Interventions

Randomised controlled trial:

1. Inhalational induction of anaesthesia with sevoflurane
2. Intravenous induction of anaesthesia with sevoflurane

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Sevoflurane

Primary outcome(s)

Change in blood pressure and cerebral flow velocity during induction of anaesthesia compared to baseline values.

Key secondary outcome(s)

Not provided at time of registration

Completion date

14/11/2002

Eligibility**Key inclusion criteria**

Total number of subjects = 40

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Senior

Sex

All

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

20/08/2001

Date of final enrolment

14/11/2002

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre

University Hospital

Nottingham

United Kingdom

NG7 2UH

Sponsor information**Organisation**

Department of Health (UK)

Funder(s)**Funder type**

Hospital/treatment centre

Funder Name

Queens Medical Centre, Nottingham University Hospital NHS Trust (UK) - NHS R&D Support Funding

Funder Name

Abbott Laboratories (UK)

Alternative Name(s)

Abbott, Abbott U.S., Abbott Alkaloidal Company, The Abbott Alkaloidal Company

Funding Body Type

Government organisation

Funding Body Subtype

For-profit companies (industry)

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan**IPD sharing plan summary**

Not provided at time of registration