ISRCTN63784375 https://doi.org/10.1186/ISRCTN63784375

Awake prone positioning in non-intubated adults with respiratory failure

Submission date 01/08/2024	**Recruitment status** Recruiting	[X] Prospectively registered [X] Protocol [_] Statistical analysis plan [_] Results [_] Individual participant data [X] Record updated in last year
Registration date 20/08/2024	**Overall study status** Ongoing	
Last Edited 01/05/2026	**Condition category** Respiratory	

Plain English summary of protocol

Background and study aims

Every year, over 60,000 adults in the UK go on a ventilator on an intensive care unit. A common reason for going on a ventilator is breathing conditions, such as pneumonia. Going on a ventilator is life-saving. However, some people that go on a ventilator do unfortunately die and many patients that do survive report long-term effects on their quality of life. For this reason, avoiding the need to go on a ventilator, when safe to do so, is important to patients and the healthcare teams looking after them. We know that for patients with COVID-19, lying them on their tummy (awake prone positioning), when they require high amounts of oxygen reduces the likelihood that they will need a ventilator. We don't currently know whether this will work in patients without COVID-19. Some treatments work well in COVID-19, but not in patients requiring oxygen for conditions, such as pneumonia. We know from treating patients during the COVID-19 pandemic and feedback from patient partners that lying on your tummy can be uncomfortable. It is important that we undertake research to find out if awake prone positioning is effective in patients without COVID-19. For patients in hospital requiring high amounts of oxygen, we want to find out if lying them on their tummy, rather than lying on their back/ sitting up reduces the likelihood that they will need to go on a ventilator on an intensive care unit.

Who can participate?

Patients aged over 18 years in hospital with respiratory problems who are needing at least 40% oxygen

What does the study involve?

Participants will be randomly allocated to one of two groups. In the first group, the researchers will position patients on their front (awake prone positioning) for at least 8 hours per day for up to 5 days. In the second group, patients will receive standard care, where they will be positioned sat up in bed.

The researchers will follow up study participants for 6 months. They will record how many patients have survived and how well they have recovered using some brief questionnaires. They will also see how long people spend on intensive care units and in hospital.

What are the possible benefits and risks of participating?

During the COVID-19 pandemic, many patients in hospital received awake prone positioning. The

key risks to awake prone positioning are discomfort and the possibility of dislodging medical devices (such as intravenous lines) when transferring to someone's front.

Where is the study run from?
University of Warwick Clinical Trials Unit (UK)

When is the study starting and how long is it expected to run for?
January 2024 to December 2027

Who is funding the study?
The National Institute for Health Research (UK) Health Technology Assessment Programme (UK)

Who is the main contact?
Dr Keith Couper, awakeprone@warwick.ac.uk

Contact information

Type(s)
Scientific, Principal investigator

Contact name
Dr Keith Couper

ORCID ID
https://orcid.org/0000-0003-2123-2022

Contact details
Warwick Clinical Trials Unit
Warwick Medical School
University of Warwick
Gibbet Hill Road
Coventry
United Kingdom
CV4 7AL
-
awakeprone@warwick.ac.uk

Type(s)
Public

Contact name
Miss Sharisse Alleyne

ORCID ID
https://orcid.org/0000-0002-8026-1176

Contact details
Warwick Clinical Trials Unit
Warwick Medical School
University of Warwick
Gibbet Hill Road

Coventry
United Kingdom
CV4 7AL
+44 (0)2476 151 343
Awakeprone@warwick.ac.uk

Additional identifiers

Integrated Research Application System (IRAS)
335630

Central Portfolio Management System (CPMS)
62433

National Institute for Health and Care Research (NIHR)
154796

Study information

Scientific Title
CoReCCT: The Awake Prone Study: Awake prone positioning in patients with acute hypoxaemic respiratory failure not due to COVID-19: A randomised controlled trial

Acronym
CoReCCT

Study objectives
The primary objective of this trial is to evaluate the clinical effectiveness of awake prone positioning in non-intubated adults with acute hypoxaemic respiratory failure not due to COVID-19, measured by our primary outcome of tracheal intubation within 30 days.

Ethics approval required
Old ethics approval format

Ethics approval(s)
Approved 08/07/2024, Wales REC 2 (Health and Care Research Wales, Castlebridge 5, 15-19 Cowbridge Road East, Cardiff, CF11 9AB, UK; +44 (0)2922941119, +44 (0)2922 940971, +44 (0) 2922 940959; Wales.REC2@wales.nhs.uk), ref: 24/WA/0128

Primary study design
Interventional

Study design
Randomized; Interventional; Design type: Treatment, Complex Intervention, Management of Care

Study type(s)
Treatment

Health condition(s) or problem(s) studied

Acute hypoxaemic respiratory failure not due to COVID-19

Interventions
In the intervention arm, participants will receive awake prone positioning over a maximum of 5 days/120 hours from randomisation. The target daily duration for awake prone positioning is ≥8 hours per 24-hour period. This may be achieved through a single long period of awake prone positioning or several shorter periods. The researchers expect any shorter period to last at least 1 hour. Each day, they will record the amount of time that an individual has spent in the awake prone position (full-prone or 3/4 prone) in the preceding 24 hours.

Participants will lie in a prone position as long and frequently as feasible, as soon as possible after randomisation. The intervention will continue until one of the following criteria is met:
1. 120 hours from randomisation
2. Tracheal intubation
3. Participant recovery
4. Participant decision to stop intervention
5. Development of contraindication to awake prone positioning
6. Participant transferred to a care setting where intervention could not be delivered
7. Participant transferred to another hospital

In the control group, participants will receive standard care, which does not include awake prone positioning.

Intervention Type
Other

Primary outcome(s)
The incidence of tracheal intubation within 30 days of randomisation, measured using hospital records. This does not include tracheal intubation where it is used only to facilitate an operation or procedure.

Key secondary outcome(s)
All secondary outcomes are measured to hospital discharge using hospital records unless specified:
1. Length of critical care stay (days), from randomisation
2. Length of hospital stay (days), from randomisation
3. Time to tracheal intubation (days)
4. Time to admission to critical care (hours/days)
5. Duration of non-invasive respiratory support (days)
6. New requirement for non-invasive respiratory support (yes/no)
7. Duration of mechanical ventilation during hospital stay (previously invasive ventilation)
8. Mortality, measured at hospital discharge, 2 months, and 6 months
9. Health-related quality of life measured using the EQ-5D-5L at 2 and 6 months
10. Pre-specified complications that occur between randomisation and 5 days (pressure ulcer /skin breakdown, dislodgement of central venous catheter, dislodgement of arterial catheter, dislodgement of peripheral venous catheter, dislodgement of urinary catheter, dislodgement of any other medical device, nausea requiring new treatment with anti-emetics, vomiting)

Completion date
31/12/2027

Eligibility

Key inclusion criteria
Current inclusion criteria as of 28/07/2025:
1. Adult (age >18 years) hospitalised patient who is not intubated
2. Acute hypoxaemic respiratory failure which has required treatment with 40% oxygen or more for at least 1 hour
3. Deemed suitable for tracheal intubation in the event of physiological deterioration

Previous inclusion criteria:
1. Adult (age >18 years) hospitalised patient who is not intubated
2. Acute hypoxaemic respiratory failure, defined as sustained SpO2 ≤94% whilst receiving ≥40% supplemental oxygen
3. Deemed suitable for tracheal intubation in the event of physiological deterioration

Participant type(s)
Patient

Healthy volunteers allowed
No

Age group
Mixed

Lower age limit
18 Years

Upper age limit
100 Years

Sex
All

Total final enrolment
0

Key exclusion criteria
1. Hypoxaemia fully explained by acute pulmonary oedema due to heart failure
2. Patient unwilling to attempt awake prone positioning
3. Contraindication to awake prone positioning
4. COVID-19 pneumonitis as primary cause of respiratory failure
5. Invasive mechanical ventilation during current hospital admission (except where provided only to facilitate a procedure or operation)

Date of first enrolment
03/02/2025

Date of final enrolment
28/02/2027

Locations

Countries of recruitment
United Kingdom

England

Northern Ireland

Wales

Study participating centre
Arrow Park Hospital
Arrowe Park Hospital
Arrowe Park Road
Wirral
England
CH49 5PE

Study participating centre
Hartington Unit
Chesterfield Royal Hospital
Chesterfield Road
Calow
Chesterfield
England
S44 5BL

Study participating centre
Fairfield General Hospital
Rochdale Old Road
Bury
England
BL9 7TD

Study participating centre
Ipswich Hospital
Heath Road
Ipswich
England
IP4 5PD

Study participating centre
James Paget University Hospital
Lowestoft Road
Gorleston
Great Yarmouth
England
NR31 6LA

Study participating centre
Kettering General Hospital Laboratory
Kettering General Hospital
Rothwell Road
Kettering
England
NN16 8UZ

Study participating centre
Kingston Hospital
Galsworthy Road
Kingston upon Thames
England
KT2 7QB

Study participating centre
Leighton Hospital
Leighton
Crewe
England
CW1 4QJ

Study participating centre
Morriston Hospital
Heol Maes Eglwys
Cwmrhydyceirw
Swansea
Wales
SA6 6NL

Study participating centre

Northampton
Northampton General Hospital
Cliftonville
Northampton
England
NN1 5BD

Study participating centre
Stepping Hill Hospital
Poplar Grove
Stockport
England
SK2 7JE

Study participating centre
Tameside General Hospital
Fountain Street
Ashton-under-lyne
England
OL6 9RW

Study participating centre
Bedford Hospital
Icash Bedford Hospital
Kempston Road
Bedford
England
MK42 9DJ

Study participating centre
Bristol Royal Infirmary
Marlborough Street
Bristol
England
BS2 8HW

Study participating centre
Glenfield General Hospital
Groby Road

Leicester
England
LE3 9QP

Study participating centre
Good Hope Hospital
Rectory Road
Sutton Coldfield
England
B75 7RR

Study participating centre
Heartlands Hospital
Bordesley Green East
Bordesley Green
Birmingham
England
B9 5ST

Study participating centre
Newham General Hospital
Glen Road
London
England
E13 8SL

Study participating centre
Pinderfields General Hospital
Aberford Road
Wakefield
England
WF1 4DG

Study participating centre
Poole Hospital
Longfleet Road
Poole
England
BH15 2JB

Study participating centre
Princess Royal Hospital
Apley Castle
Grainger Drive
Apley
Telford
England
TF1 6TF

Study participating centre
Queen Elizabeth Hospital Lewisham
Stadium Road
London
England
SE18 4QH

Study participating centre
Queen Elizabeth Hospital
Mindelsohn Way
Edgbaston
Birmingham
England
B15 2GW

Study participating centre
Queen Elizabeth The Queen Mother
Ramsgate Road
Margate
Kent
England
CT9 4AN

Study participating centre
Rotherham District General Hospital
Moorgate Road
Rotherham
England
S60 2UD

Study participating centre

Royal Oldham Hospital
Rochdale Road
Oldham
England
OL1 2JH

Study participating centre
Royal Sussex Hospital
Eastern Rd
Brighton and Hove
Brighton
England
BN2 5BE

Study participating centre
Ulster Hospital
Upper Newtownards Rd
Dundonald
Belfast
Northern Ireland
BT16 1RH

Study participating centre
Warrington Hospital (site)
Warrington Hospital
Lovely Lane
Warrington
England
WA5 1QG

Study participating centre
The Royal Glamorgan Hospital
Ynysmaerdy
Pontyclun
Wales
CF72 8XR

Study participating centre
St Georges Hospital
Blackshaw Road
London

England
SW17 0QT

Study participating centre
Leeds General Infirmary
Great George Street
Leeds
England
LS1 3EX

Study participating centre
University Hospital Lewisham
Lewisham High Street
London
England
SE13 6LH

Study participating centre
Watford General Hospital
60 Vicarage Road
Watford
England
WD18 0HB

Study participating centre
Weston General Hospital
Grange Road
Uphill
Weston-super-mare
England
BS23 4TQ

Study participating centre
Ysbyty Glan Clwyd
Glan Clwyd Hospital
Rhuddlan Road
Bodelwyddan
Rhyl
Wales
LL18 5UJ

Study participating centre
Gloucestershire Royal Hospital
Great Western Road
Gloucester
England
GL1 3NN

Study participating centre
Milton Keynes University Hospital
Milton Keynes Hospital
Standing Way
Eaglestone
Milton Keynes
England
MK6 5LD

Study participating centre
Scarborough Hospital
Woodlands Drive
Scarborough
England
YO12 6QL

Study participating centre
St James' S University Hospital
Beckett Street
Leeds
England
LS9 7TF

Study participating centre
William Harvey Hospital
Kennington Road
Willesborough
Ashford
England
TN24 0LZ

Study participating centre

York District Hospital
Wigginton Road
York
England
YO31 8HE

Study participating centre
Bedford Hospital South Wing
South Wing
Kempston Road
Bedford
England
MK42 9DJ

Study participating centre
Belfast City Hospital
51 Lisburn Rd
Belfast
Northern Ireland
BT9 7AB

Study participating centre
Bristol Royal Infirmary
Marlborough Street
Bristol
England
BS2 8HW

Study participating centre
Craigavon Area Hospital
Lurgan Rd
Craigavon
Northern Ireland
BT63 5QQ

Study participating centre
Glenfield Hospital
Groby Road
Leicester
England
LE3 9QP

Study participating centre
Gloucestershire Royal Hospital Laboratory
Gloucester Royal Hospital
Great Western Road
Gloucester
England
GL1 3NN

Study participating centre
Good Hope Hospital
Rectory Road
Sutton Coldfield
England
B75 7RR

Study participating centre
Heartlands Hospital
Bordesley Green East
Bordesley Green
Birmingham
England
B9 5SS

Study participating centre
The James Cook University Hospital
Marton Road
Middlesbrough
England
TS4 3BW

Study participating centre
King's College Hospital (denmark Hill)
Denmark Hill
London
England
SE5 9RS

Study participating centre

The Maidstone Hospital
Hermitage Lane
Maidstone
England
ME16 9QQ

Study participating centre
Medway Maritime Hospital
Windmill Road
Gillingham
England
ME7 5NY

Study participating centre
Milton Keynes University Hospital
Milton Keynes Hospital
Standing Way
Eaglestone
Milton Keynes
England
MK6 5LD

Study participating centre
Musgrove Park Hospital
Musgrove Park
Taunton
England
TA1 5DA

Study participating centre
Newham General Hospital
Glen Road
London
England
E13 8SL

Study participating centre
North Devon District Hospital
Raleigh Park

Barnstaple
England
EX31 4JB

Study participating centre
Sheffield Teaching Hospitals NHS Foundation Trust
Northern General Hospital
Herries Road
Sheffield
England
S5 7AU

Study participating centre
Pinderfields General Hospital
Aberford Road
Wakefield
England
WF1 4DG

Study participating centre
Poole Hospital
Longfleet Road
Poole
England
BH15 2JB

Study participating centre
Princess Royal Hospital
Lewes Road
Haywards Heath
England
RH16 4EX

Study participating centre
Princess Royal University Hospital
Farnborough Common
Orpington
England
BR6 8ND

Study participating centre
Ucc - Queen Elizabeth Hospital
Queen Elizabeth Hospital
Stadium Road
London
England
SE18 4QH

Study participating centre
University Hosp Birmingham Laboratory
Queen Elizabeth Medical Centre
Queen Elizabeth Hospital
Edgbaston
Birmingham
England
B15 2TH

Study participating centre
Queen Elizabeth the Queen Mother Hospital
St. Peters Road
Margate
England
CT9 4AN

Study participating centre
Rotherham District General Hospital
Moorgate Road
Rotherham
England
S60 2UD

Study participating centre
Royal Berkshire Hospital
London Road
Reading
England
RG1 5AN

Study participating centre

Royal Blackburn Hospital
Haslingden Road
Blackburn
England
BB2 3HH

Study participating centre
The Royal Glamorgan Hospital
Ynysmaerdy
Pontyclun
Wales
CF72 8XR

Study participating centre
Royal Oldham Hospital
Rochdale Road
Oldham
England
OL1 2JH

Study participating centre
Royal Sussex County Hospital
Eastern Road
Brighton
England
BN2 5BE

Study participating centre
The Royal Victoria Hospital
274 Grosvenor Road
Belfast
Northern Ireland
BT12 6BA

Study participating centre
Scarborough General Hospital Laboratory
Scarborough General Hospital
Woodlands Drive
Scarborough
England
YO12 6QL

Study participating centre
St Georges University Hospital Laboratory
St. Georges Hospital
Blackshaw Road
London
England
SW17 0QT

Study participating centre
St James' S University Hospital
Beckett Street
Leeds
England
LS9 7TF

Study participating centre
Tunbridge Wells Hospital
The Tunbridge Wells Hospital
Tonbridge Road
Pembury
Tunbridge Wells
England
TN2 4QJ

Study participating centre
University Hospital (coventry)
Clifford Bridge Road
Coventry
England
CV2 2DX

Study participating centre
University Hospital Lewisham
Lewisham High Street
London
England
SE13 6LH

Study participating centre
Warrington Hospital (site)
Warrington Hospital
Lovely Lane
Warrington
England
WA5 1QG

Study participating centre
Watford General Hospital
60 Vicarage Road
Watford
England
WD18 0HB

Study participating centre
Weston General Hospital
Grange Road
Uphill
Weston-super-mare
England
BS23 4TQ

Study participating centre
William Harvey Hospital
Kennington Road
Willesborough
Ashford
England
TN24 0LZ

Study participating centre
York District Hospital
Wigginton Road
York
England
YO31 8HE

Study participating centre
Glan Clwd Hospital
Ysbyty Glan Clwydd

Bodelwyddan
Rhyl
England
LL18 5UJ

Sponsor information

Organisation
University of Warwick

ROR
https://ror.org/01a77tt86

Funder(s)

Funder type
Government

Funder Name
NIHR Evaluation, Trials and Studies Co-ordinating Centre (NETSCC)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	version 2.0	11/06/2024	20/08/2024	No	Yes
Participant information sheet	version 3.0	20/09/2024	14/03/2025	No	Yes
Participant information sheet	version 4.0	31/03/2025	23/05/2025	No	Yes
Protocol file	version 2.0	13/06/2024	20/08/2024	No	No
Protocol file	version 3.0	20/09/2024	14/03/2025	No	No
Protocol file	version 4.0	07/04/2025	23/05/2025	No	No

Protocol file	version 5.0	03/07/2025	28/07/2025	No		No