

Improving facial scars: comparing two fat grafting techniques using a nanofat graft

Submission date 14/04/2024	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 22/04/2024	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 22/04/2024	Condition category Skin and Connective Tissue Diseases	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

Despite the variety of therapeutic techniques used to improve the appearance of disfiguring scars, there is still no method that achieves perfect results, and nanofat injections have shown clinical benefits in rejuvenating the skin and improving the appearance of scars. Additionally, the concurrent use of platelet-rich fibrin with nanofat has shown an enhanced effect.

Who can participate?

Patients aged 18 years old and over with atrophic linear facial scars

What does the study involve?

This study compares two groups of patients with atrophic facial scars. A control group will receive nanofat grafting and in contrast, the experimental group will receive unfiltered nanofat grafting with platelet-rich fibrin.

What are the possible benefits and risks of participating?

One of the features of nanofat grafting is the regeneration and improvement of the scar's texture and color in terms of pigmentation, restoring its thickness to the normal proportion of the surrounding skin. It is a safe, easy, and effective method due to its high content of adipose-derived stem cells. However, this method has several limitations, including the presence of a donor surgical site and consequent complications such as pain, swelling, and infection.

Where is the study run from?

Oral and Maxillofacial Surgery Hospital, Faculty of Dentistry, Damascus University, Syria

When is the study starting and how long is it expected to run for?

January 2021 to January 2024

Who is the funding of the study?

Investigator initiated and funded

Who is the main contact?

Dr Mhd Anas Alnemer, anas.alnemer@gmail.com

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Dr Mhd Anas Alnemr

ORCID ID

<https://orcid.org/0009-0002-9047-3030>

Contact details

Mezzeh Highway

Damascus

Syria

0000

+963957432950

anas1.alnmer@damascusuniversity.edu.sy

Type(s)

Public

Contact name

Dr Mhd Anas Alnemr

Contact details

Mezzeh Highway

Damascus

Syria

0000

+963957432950

anas.alnmer@gmail.com

Additional identifiers

Study information

Scientific Title

The management of facial scars by using unfiltered nanofat graft mixed with platelet-rich fibrin or conventional nanofat graft

Study objectives

The use of nanofat mixed with platelet-rich fibrin is effective in the management of atrophic facial scars compared to conventional nanofat.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 21/03/2021, Ethics Scientific Committee at Damascus University (Oral and Maxillofacial Surgery Department - Faculty of Dental Medicine - Damascus University, Damascus, 4671, Syria; +963 11 33923011; verification.dicr@damascusuniversity.edu.sy), ref: DN-210224-11-H8

Study design

Single-blind randomized controlled clinical trial

Primary study design

Interventional

Study type(s)

Treatment, Efficacy

Health condition(s) or problem(s) studied

Improving the appearance of atrophic facial scars in patients

Interventions

This study is a randomized controlled trial, including 2 groups of patients with atrophic facial scars - the control group will receive nanofat grafting. In contrast, the experimental group will receive unfiltered nanofat grafting with platelet-rich fibrin (PRF). Participants will be randomized into 2 groups using <https://www.randomizer.org/>.

The follow-up for each patient is 6 months with 3 visits for each patient:

1. One week postoperative
2. 3 months postoperative
3. 6 months postoperative

The primary outcome of the study is assessed using the Patient And Observer Scar Assessment Scale (POSAS) in 2 parts, firstly by 3 observers and secondly by the patient himself/herself. The observers will assess scar quality (vascularity, pigmentation, thickness, relief, pliability and surface area) on a scale from 1 to 10. While the patient will assess according to the following parameters from 1 to 10: pain, itchiness, color, stiffness, thickness and irregularity.

Intervention Type

Procedure/Surgery

Primary outcome(s)

Scar quality from the perspectives of the patient and the clinician measured using the Patient And Observer Scar Assessment Scale (POSAS) at baseline (T0: preoperative), 3 (T1) and 6 (T2) months postoperative

Key secondary outcome(s)

The following secondary outcome measures will be assessed at baseline (T0: preoperative), 3 (T1) and 6 (T2) months postoperative:

1. Scar appearance measured in 4 grades (Level 1: Macular Scar; Level 2: Mild Scar; Level 3: Moderate Scar; and, Level 4: Severe Scar) by 3 observers using the Goodman and Baron Scale
2. Aesthetic improvement measured using the Global Aesthetic Improvement Scale (7 levels: -3 = Very Much Worse; -2 = Much Worse; -1 = Worse; 0 = No Change; 1 = Improved; 2 = Much Improved; and, 3 = Very Much Improved)

Completion date

20/01/2024

Eligibility

Key inclusion criteria

1. Patients with atrophic linear facial scars
2. The length of the scar is more than 2 centimeters
3. Patients older than 18 years old
4. No systemic disease and syndromes
5. Previously untreated scars

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

21 years

Upper age limit

47 years

Sex

All

Total final enrolment

24

Key exclusion criteria

1. Patients with acute skin disease
2. Patients with bleeding disorder
3. Patients has gone through severe weight gain/loss during the past few months
4. Skinny patients (does not have enough fat tissue in the donor sites)

Date of first enrolment

01/03/2022

Date of final enrolment

01/03/2023

Locations

Countries of recruitment

Syria

Study participating centre
Oral and Maxillofacial Surgery Hospital, Faculty of Dentistry, Damascus University
MazzeH Highway
Damascus
Syria
4671

Sponsor information

Organisation
Damascus University

ROR
<https://ror.org/03m098d13>

Funder(s)

Funder type
Other

Funder Name
Investigator initiated and funded

Results and Publications

Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet			22/04/2024	No	Yes