

# Randomised, controlled trial of the stoppa repair versus the Lichtenstein method for the repair of bilateral inguinal hernia: short-term outcome

|                                        |                                                              |                                                      |
|----------------------------------------|--------------------------------------------------------------|------------------------------------------------------|
| <b>Submission date</b><br>12/09/2003   | <b>Recruitment status</b><br>No longer recruiting            | <input type="checkbox"/> Prospectively registered    |
| <b>Registration date</b><br>12/09/2003 | <b>Overall study status</b><br>Completed                     | <input type="checkbox"/> Protocol                    |
| <b>Last Edited</b><br>14/04/2015       | <b>Condition category</b><br>Urological and Genital Diseases | <input type="checkbox"/> Statistical analysis plan   |
|                                        |                                                              | <input type="checkbox"/> Results                     |
|                                        |                                                              | <input type="checkbox"/> Individual participant data |
|                                        |                                                              | <input type="checkbox"/> Record updated in last year |

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Mr JH Hobbiss

### Contact details

Consultant Surgeon  
Royal Bolton Hospital  
Minerva Road  
Farnworth  
Bolton  
United Kingdom  
BL4 0JR  
+44 (0)1204 390544  
abc@email.com

## Additional identifiers

### Protocol serial number

M0010058197

# Study information

## Scientific Title

Randomised, controlled trial of the stoppa repair versus the Lichtenstein method for the repair of bilateral inguinal hernia: short-term outcome

## Study objectives

Post-operative complications and return to activity following bilateral inguinal hernia repair.

## Ethics approval required

Old ethics approval format

## Ethics approval(s)

Not provided at time of registration

## Primary study design

Interventional

## Study design

Randomised controlled trial

## Study type(s)

Treatment

## Health condition(s) or problem(s) studied

Urological and Genital Diseases: Inguinal hernia

## Interventions

Stoppa repair versus Lichtenstein repair

## Intervention Type

Other

## Phase

Not Specified

## Primary outcome(s)

1. Post-operative complications
2. Post-operative pain
3. Return to normal activity

## Key secondary outcome(s)

Not provided at time of registration

## Completion date

01/05/2006

## Eligibility

**Key inclusion criteria**

50 patients in each group, undergoing repair of bilateral inguinal hernia

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Not Specified

**Sex**

Not Specified

**Key exclusion criteria**

Not provided at time of registration

**Date of first enrolment**

01/05/1999

**Date of final enrolment**

01/05/2006

**Locations****Countries of recruitment**

United Kingdom

England

**Study participating centre**

Royal Bolton Hospital

Bolton

United Kingdom

BL4 0JR

**Sponsor information****Organisation**

Department of Health (UK)

**Funder(s)**

**Funder type**

Government

**Funder Name**

Bolton Hospitals NHS Trust (UK)

## **Results and Publications**

**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration