

# Treatment of advanced liver cell cancer with the drug thymostimulin in comparison with placebo

<b>Submission date</b> 29/05/2008	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
<b>Registration date</b> 19/06/2008	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
<b>Last Edited</b> 04/02/2015	<b>Condition category</b> Cancer	<input type="checkbox"/> Individual participant data

## Plain English summary of protocol

Not provided at time of registration

## Contact information

### Type(s)

Scientific

### Contact name

Prof Wolfgang E Fleig

### Contact details

Professor of Medicine  
Medical Chairman and Chairman of the Board  
University of Leipzig Hospitals and Clinics  
Philipp-Rosenthal-Straße 27  
Leipzig  
Germany  
04103

-  
wolfgang.fleig@medizin.uni-leipzig.de

## Additional identifiers

## Study information

### Scientific Title

Thymostimulin versus placebo for treatment of advanced hepatocellular carcinoma: a prospective randomised, placebo-controlled, double-blind, multicentre study

**Study objectives**

To assess efficacy and safety of thymostimulin versus placebo in the treatment of advanced hepatocellular carcinoma.

Study hypothesis: 20% improvement of one-year survival.

Please note that this is the phase III study of a previously registered trial entitled 'Treatment of advanced liver cell cancer with the drug thymostimulin' (see <http://www.controlled-trials.com/ISRCTN29319366>).

**Ethics approval required**

Old ethics approval format

**Ethics approval(s)**

Ethik-Kommission of the Medical Faculty of the Martin-Luther-University Halle-Wittenberg (Germany), July 2002

**Study design**

Prospective randomised placebo-controlled double-blind multicentre phase III trial

**Primary study design**

Interventional

**Study type(s)**

Treatment

**Health condition(s) or problem(s) studied**

Locally advanced or metastasised hepatocellular carcinoma

**Interventions**

Thymostimulin 75 mg (Thymophysin CytoChemia® 25/50) subcutaneously for 5 days a week in addition to best supportive care as required versus placebo (subcutaneous injection) and best supportive care.

Total duration of treatment: maximum of 12 months or until progression; follow-up: 12 months as for treatment; if patient is alive after 12 months, three-monthly follow-up for overall survival.

**Intervention Type**

Drug

**Phase**

Phase III

**Drug/device/biological/vaccine name(s)**

Thymostimulin

**Primary outcome(s)**

Six and 12-month survival.

**Key secondary outcome(s)**

1. Overall survival
2. Tumour response and progression-free survival according to standard World Health Organization (WHO) criteria. Timepoints are:
  - 2.1. Tumour response after one year
  - 2.2. Overall progression-free survival
3. Toxicity according to Eastern Cooperative Oncology Group (ECOG) criteria
4. Quality of life assessed by means of the Functional Assessment of Cancer Therapy - Hepatobiliary (FACT-Hep) questionnaire

Timepoints for all primary and secondary outcomes: after 12 months.

**Completion date**

31/03/2006

## Eligibility

**Key inclusion criteria**

1. Biopsy-proven locally advanced or metastasised hepatocellular carcinoma not amenable to or failing established treatment
2. Two-dimensional measurable lesion on imaging
3. Karnofsky score equal or greater than 60%
4. Aged 18 to 80 years, either sex

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Key exclusion criteria**

1. Pregnancy/lactation
2. Active second malignancy
3. Severe concomitant disease (e.g. New York Heart Association [NYHA] grade III - IV, serum creatinine level greater than 300 micromol/l)
4. Severe decompensated liver function (bilirubin greater than 5 mg/dl, International normalised ratio [INR] greater than or equal to 2.3)
5. Unable to give informed consent

**Date of first enrolment**

01/10/2002

**Date of final enrolment**

31/03/2005

## Locations

**Countries of recruitment**

Germany

**Study participating centre**

**University of Leipzig Hospitals and Clinics**

Leipzig

Germany

04103

## Sponsor information

**Organisation**

Martin-Luther-University Halle-Wittenberg (Germany)

**ROR**

<https://ror.org/05gqaka33>

## Funder(s)

**Funder type**

University/education

**Funder Name**

Cytochemia AG (Germany)

**Funder Name**

Martin-Luther-University Halle-Wittenberg (Germany)

## Results and Publications

**Individual participant data (IPD) sharing plan**

## IPD sharing plan summary

Not provided at time of registration

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Results article</a>	results	24/08/2010		Yes	No