ISRCTN64894535 https://doi.org/10.1186/ISRCTN64894535

Treatment of Bennett fractures with tension-band wiring through a small incision under loupes and headlight

Submission date
09/09/2018

Recruitment status
No longer recruiting

Registration date
19/09/2018

Overall study status
Completed

Last Edited
06/12/2021

Condition category
Injury, Occupational Diseases, Poisoning

[_] Prospectively registered
[_] Protocol
[_] Statistical analysis plan
[X] Results
[_] Individual participant data

Plain English summary of protocol

Background and study aims
A Bennett fracture is a common fracture of the thumb. Although numerous treatments have been proposed, the best treatment choice is still controversial. The aim of this study is to investigate the effectiveness of treating Bennett fractures with tension-band wiring through a small incision (cut) under loupes (magnifying lenses) and headlight.

Who can participate?
Patients with Bennett fractures

What does the study involve?
All participants receive treatment with tension-band wiring through a small incision under loupes and headlight. At the final follow-up at 20 months after surgery, joint range of motion, pinch and grip strength, and hand function are assessed.

What are the possible benefits and risks of participating?
Possible benefits include early range of motion which results in a better function of the thumb. Possible risks include joint stiffness and wound infection.

Where is the study run from?
Third Hospital of Hebei Medical University (China)

When is the study starting and how long is it expected to run for?
August 2014 to October 2017

Who is funding the study?
Third Hospital of Hebei Medical University (China)

Who is the main contact?
Dr Xu Zhang
ahand@sina.com

Contact information

Type(s)
Public

Contact name
Dr Xu Zhang

ORCID ID
https://orcid.org/0000-0002-3383-2781

Contact details
Department of Hand Surgery
Third Hospital of Hebei Medical University
Shijiazhuang
China
050051
+6-13933512651
ahand@sina.com

Additional identifiers

Protocol serial number
THHMC20184561

Study information

Scientific Title
Treatment of Bennett fractures with tension-band wiring through a small incision under loupes and headlight

Acronym
TBW

Study objectives
Treatment of Bennett fractures with tension-band wiring through a small incision under loupes and headlight. The treatments are effective with the use of the technique.

Ethics approval required
Old ethics approval format

Ethics approval(s)
Institutional review board of the Third Hospital of Hebei Medical University, 18/09/2014, ref: THHMC20141547

Primary study design
Observational

Study design

Observational case series

Study type(s)
Treatment

Health condition(s) or problem(s) studied
Bennett fractures

Interventions
Treatment of Bennett fractures with tension-band wiring through a small incision under loupes and headlight. The tension band wiring technique was performed in 37 Bennett fractures. The mean time between the injury and operation was 6 days. At the final follow-up, range of motion, pinch and grip strength, and function were assessed.

Intervention Type
Procedure/Surgery

Primary outcome(s)
Range of motion: active motion of the first CMC joint assessed using a goniometer at 20 months after surgery

Key secondary outcome(s)
Measured at 20 months after surgery:
1. Pinch and grip strengths measured using dynamometers. In order to exclude the discrepancy between the dominant and nondominant hand strength, the scores for analysis were based on that the pinch strength was 5% and grip strength was 6% higher at dominant sides compared to the nondominant sides.
2. Hand function assessed using the Disabilities of the Arm, Shoulder and Hand (DASH) questionnaire

Completion date
01/10/2017

Eligibility

Key inclusion criteria
1. A Bennett fracture with intra-articular gap or step-off at or above 1 mm
2. Size of the fragment at or above 20% of the joint surface on the lateral view
3. Normal opposite hand for comparison

Participant type(s)
All

Healthy volunteers allowed
No

Age group
Adult

Sex

All

Key exclusion criteria
Rolando fracture, comminuted fracture, and other combined injuries of the same hand

Date of first enrolment
01/10/2014

Date of final enrolment
21/11/2015

Locations

Countries of recruitment
China

Study participating centre
Third Hospital of Hebei Medical University
Ziqiang road
Shijiazhuang
China
050051

Sponsor information

Organisation
Third Hospital of Hebei Medical University

ROR
https://ror.org/004eknx63

Funder(s)

Funder type
University/education

Funder Name
Third Hospital of Hebei Medical University

Results and Publications

Individual participant data (IPD) sharing plan

The data sharing plans for the current study are unknown and will be made available at a later date.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		01/02/2019		Yes	No