

Paediatric i-gel™ laryngeal masks compared with the Ambu Aura Once™ laryngeal mask

Submission date 24/08/2009	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 11/11/2009	Overall study status Completed	☐ Statistical analysis plan ☐ Results
Last Edited 11/11/2009	Condition category Respiratory	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Robert Greif

Contact details
Inselspital, University Hospital Bern
Department of Anaesthesiology
Bern
Switzerland
CH-3010

Additional identifiers

Protocol serial number
KEK018/08

Study information

Scientific Title
Comparison of the laryngeal mask airway Ambu Aura Once™ and the i-gel™ in elective anaesthetised and ventilated paediatric patients

Acronym
Paediatric i-gel

Study objectives

H0 = Mean Airway seal pressure Ambu $\geq$ Mean Airway seal pressure i-gel.

H1 = Mean Airway seal pressure Ambu < Mean Airway seal pressure i-gel.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics Committee of Berne, approved on 02/02/2009 (ref: 018/09)

Primary study design

Interventional

Study design

Prospective randomised gold-standard controlled single-blinded (patient) trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Airway management in paediatric patients

Interventions

According to randomisation, patients will be ventilated by either one of the masks involved in the study: either the paediatric sized i-gel™ or the paediatric sized Ambu Aura Once™. No other interventions.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Oropharyngeal leak pressure

Key secondary outcome(s)

1. First attempt success rate
2. Time necessary for completion of first attempt
3. Insertion success of a gastric catheter
4. Fiberoptic laryngeal view
5. Adverse events

Completion date

15/08/2010

Eligibility**Key inclusion criteria**

1. Patients of both genders, aged 0-17 years
2. Weight of 5-50 kg
3. American Society of Anaesthesiologists (ASA) physical status I-II
4. Scheduled at the University Hospital of Bern for elective surgery planned for general anaesthesia not requiring tracheal intubation

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Upper age limit

17 Years

Sex

All

Key exclusion criteria

1. Planned operation time >4h
2. Risk of aspiration (non-fasted, massive gastroesophageal reflux disease, gastrointestinal stenosis or stricture)
3. Known difficult airway (difficult mask ventilation or difficult laryngoscopy, Cormack-Lehane grade >2)
4. Congenital malformations involving the respiratory tract
5. Cervical spine disease
6. Upper respiratory tract symptoms in the previous 14 days
7. Preoperative sore throat
8. Patients with non-German-speaking parents or refusing to participate

Date of first enrolment

15/08/2009

Date of final enrolment

15/08/2010

Locations**Countries of recruitment**

Switzerland

Study participating centre

Inselspital, University Hospital Bern
Bern
Switzerland
CH-3010

Sponsor information

Organisation

Inselspital, University Hospital Bern (Switzerland)

ROR

<https://ror.org/01q9sj412>

Funder(s)

Funder type

Hospital/treatment centre

Funder Name

Inselspital, University Hospital Bern (Switzerland), Departmental Research Fund

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration