

Clinical efficacy of Valdoxan® in everyday practice conditions (efficiency)

Submission date 26/05/2009	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 15/07/2009	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 21/04/2020	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration and not expected to be available in the future

Contact information

Type(s)

Scientific

Contact name

Prof Pierre-Michel Llorca

Contact details

CHU Hôpital Gabriel Montpied
58 rue Montalembert
Clermont-Ferrand
France
63003

Additional identifiers

Clinical Trials Information System (CTIS)

2008-008220-32

Protocol serial number

DM4-20098-108

Study information

Scientific Title

Clinical efficacy of VALDOXAN in everyday practice conditions (efficiency) in depressed patients, on a treatment-naive or switch basis. Phase-IV, multicentre, open, interventional clinical study. VALDOXAN D-CHANGE Study

Acronym

Etude Valdoxan® D-Change

Study objectives

Clinical efficiency of Valdoxan® after 6 weeks of treatment.

Please note that as of 26/11/2012 the anticipated end date for this study has been updated from 30/04/2010 to 30/06/2010.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval was obtained before recruitment of the first participants

Primary study design

Interventional

Study design

Phase IV multicentre open interventional clinical study

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Major depressive episode

Interventions

Agomelatine 25 or 50 mg over a 6-week period.

Intervention Type

Drug

Phase

Phase IV

Drug/device/biological/vaccine name(s)

Valdoxan®

Primary outcome(s)

Assessment of the response to the treatment based on Clinical Global Impression Improvement (CGI-I) Scale, Patient Global Impression Improvement (PGI-I) Scale, Leeds Sleep Evaluation Questionnaire (LSEQ) and patients wish to continue the study treatment at week 6.

Key secondary outcome(s)

1. Sheehan Disability Scale (SDS) from baseline to week 6
2. MATHyS from baseline to week 6
3. CGI-EI from week 2 to week 6
4. Safety from baseline to week 6

Completion date

30/06/2010

Eligibility

Key inclusion criteria

1. Patients older than 18 years (inclusive), either sex
2. Out-patients fulfilling Diagnostic and Statistical Manual of Mental Disorders, 4th Edition (DSM-IV) criteria for major depressive disorder

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Total final enrolment

2938

Key exclusion criteria

Women of childbearing potential without effective contraception

Date of first enrolment

20/04/2009

Date of final enrolment

30/06/2010

Locations

Countries of recruitment

France

Study participating centre

CHU Hôpital Gabriel Montpied
58 rue Montalembert
Clermont-Ferrand
France
63003

Sponsor information

Organisation

Institut de Recherches Internationales Servier (France)

ROR

<https://ror.org/034e7c066>

Funder(s)

Funder type

Industry

Funder Name

Institut de Recherches Internationales Servier (France)

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from <https://clinicaltrials.servier.com> if a Marketing Authorisation has been granted after 1st January 2014.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results				No	No
Basic results			21/04/2020	No	No