

An observational study to evaluate the prevalence of a cancer immunotherapy target and its role in patients with triple-negative breast cancer treated with systemic therapy (VANESSA)

Submission date 18/09/2021	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 12/01/2022	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 01/02/2022	Condition category Cancer	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

This observational study is also called a secondary data use non-interventional study or medical chart review study, which means that the study looks at medical data and tissue samples that have already been collected as part of routine medical practice.

The purpose of this study is to evaluate the role of a protein called programmed death-ligand 1 (PD-L1) in patients with triple-negative breast cancer (TNBC). Triple-negative breast cancer is a kind of breast cancer that does not have any of the receptors that are commonly found in breast cancer. The PD-L1 protein is found in tissue samples from patients with TNBC. Cells that produce a lot of PD-L1 protein, which are called PD-L1 positive, can partially resist or help the tumor evade the body's natural immune response. Blocking the PD-L1 protein may help the immune system to stop or reverse the growth of tumors.

The presence of PD-L1 protein in tumor tissue samples can be assessed with a laboratory test called the VENTANA anti-PD-L1 (SP142) assay.

This study will investigate how many patients with TNBC have tumors that are positive for the PD-L1 protein, and how being positive for PD-L1 affects the behavior of the tumor. The study will also assess whether the PD-L1 test results are consistent when measured in different laboratories.

Who can participate?

Patients aged over 18 years with a diagnosis of eTNBC (early or locoregionally advanced TNBC, amenable to treatment with curative intent) or mTNBC (metastatic or locoregionally advanced unresectable TNBC, not amenable to treatment with curative intent) between 1st January 2014 and 31st December 2017, with a documented PD-L1 result.

What does the study involve?

Laboratory tests will be conducted on tissue samples that have already been taken from

participants as part of medical routine care. Participants will not undergo any other surgical procedure for this study, and no additional tissue samples will be taken. Only tissue samples that have already been taken from a previous biopsy or surgical procedure can be used and collected by the study doctor.

A piece of body tissue sample will be tested by the local pathology laboratory to measure how much PD-L1 protein is present. The participant's doctor will also send a small section of the participant's tissue sample(s) to a study-designated central laboratory where the testing for PD-L1 will be performed.

The Ventana anti-PD-L1 (SP142) laboratory test will be used in both laboratories to measure the expression of the PD-L1 protein. The results of these tests are not intended to be used (as part of this study) to recommend treatment options.

If the patient signs the optional additional consent, testing may involve analysis of the participant's genome (DNA), the "instruction book" for the cells in the body. Participant's samples may be tested for inherited or non-inherited genome variations, to allow for exploration of broad health research questions across disease areas. Testing may include analysis of all of body DNA (whole genome sequencing) or analysis of part of participant's DNA. Analyses of samples from a large number of people may help researchers learn more about breast cancer and other diseases, possible links among diseases, mutations and how they might affect a disease or a person's response to treatment, and new avenues for drug development and personalized therapies

What are the possible benefits and risks of participating?

There is no direct medical benefit to participants from being in this study. The information gained from this study may help researchers and doctors to learn more about how to treat patients with TNBC. Participants and other patients with TNBC or a similar condition may benefit from the results of such research in the future.

The Research Biosample Repository (RBR) tissue sample will be taken from a sample that was collected before this study, so there are no additional risks. Although care is taken to not exhaust the archival tissue blocks, there remains a small risk that the tissue might get used up. There are no additional risks associated with donating participants' leftover samples to the RBR.

Where is the study run from?

F. Hoffmann-La Roche (Switzerland)

When is the study starting and how long is it expected to run for?

June 2021 to September 2022

Who is funding the study?

F. Hoffmann-La Roche (Switzerland)

Who is the main contact?

Trial Information Support Line
global-roche-genentech-trials@gene.com

Contact information

Type(s)

Public

Contact name

Mr Trial Information Support Line

Contact details

1 DNA Way
South San Francisco
United States of America
94080
+1 (0)888 662 6728
global-roche-genentech-trials@gene.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

303428

Protocol serial number

MO42921, IRAS 303428, CPMS 50835

Study information

Scientific Title

A multi-country observational retrospective study to evaluate the prevalence of PD-L1 and its role in patients with triple-negative breast cancer treated with systemic therapy (VANESSA)

Study objectives

To evaluate the prevalence of PD-L1 positivity on primary or metastatic tissue among early TNBC (eTNBC) and metastatic TNBC (mTNBC) patients treated with systemic therapy.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 06/09/2021, Ethics Committee for Clinical Research at Pauls Stradins Clinical University Hospital Development Society (Pilsonu Street 13, Riga, LV- 1002, Latvia; +371 (0) 26380055; etikas-komiteja@stradini.lv), ref: 260821-1E (for English version) and 260521-1L (for Latvian version)

Study design

Observational multi-country study with secondary data use (NIS SDU) from two cohorts

Primary study design

Observational

Study type(s)

Other

Health condition(s) or problem(s) studied

Triple-negative breast cancer treated with systemic therapy

Interventions

Approximately 2,700 patients with a new diagnosis of eTNBC or mTNBC between 1st January 2014 and 31st December 2017 will be considered for inclusion in this study. Medical/treatment history data will be retrospectively extracted from medical records and archived tissue samples will be analyzed. Archived tumor tissue samples from the primary and/or metastatic lesion will be tested for PD-L1 using the Ventana PD-L1 (SP142) assay.

Intervention Type

Other

Primary outcome(s)

PD-L1 positivity, as defined by expression on tumor-infiltrating immune cells covering $\geq 1\%$ of tumor area by IHC using the Ventana PD-L1 (SP142) assay, measured at a single timepoint

Key secondary outcome(s)

Inter-observer concordance on PD-L1 positivity using the Ventana PD-L1 (SP142) assay between local and central laboratories, measured at a single timepoint

Completion date

30/09/2022

Eligibility

Key inclusion criteria

1. Signed Informed Consent Form, if and as required, according to local laws and regulations
2. Aged ≥ 18 years at the time of diagnosis
3. Histologically documented TNBC, assessed locally and defined as ER and PR positivity of less than 1% and HER2 IHC0, IHC1+, or IHC2+/ISH-, as determined according to ASCO/CAP guidelines
4. New diagnosis of eTNBC (early or locoregionally advanced TNBC, amenable to treatment with curative intent) or mTNBC (metastatic or locoregionally advanced unresectable TNBC, not amenable to treatment with curative intent) between 1st January 2014 and 31st December 2017
5. Available formalin-fixed paraffin-embedded (FFPE) tumor tissue of good quality based on total and viable tumor content for local and central laboratory PD-L1 testing
6. Documentation of tissue source (primary breast cancer, de novo breast cancer, metastatic tumor location), biopsy or resection, tissue size and tumor content
7. Patients who received any systemic therapy in early-stage disease and/or in metastatic setting
8. Only patients with documented, locally determined PD-L1 status using Ventana PD-L1 (SP142) assay by trained pathologists, will be eligible for central testing and their data will be included in the study analysis

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Sex

All

Key exclusion criteria

1. No available archival tumor tissue for PD-L1 testing
2. Tissue samples of poor quality based on total and viable tumor content and/or bad fixation
3. Fine needle aspiration, brushing, cell pellet from pleural effusion, bone metastases, and lavage samples are not acceptable
4. Patients whose tumor tissue is not evaluable for local and central testing

Date of first enrolment

30/09/2021

Date of final enrolment

30/09/2022

Locations

Countries of recruitment

United Kingdom

England

Algeria

Chile

Finland

Germany

India

Italy

Kenya

Korea, South

Latvia

Lebanon

Lithuania

Morocco

Peru

Russian Federation

Saudi Arabia

Serbia

South Africa

Tunisia

Türkiye

Viet Nam

Study participating centre

Centro de Cancer Pontificia Universidad Catolica de Chile

Diagonal Paraguay 319

Santiago

Chile

3580000

Study participating centre

Centre anti Cancer Annaba

Route de Seraidi

Annaba

Algeria

23000

Study participating centre

Pierre and Marie Curie Cancer Center

Place du 1er Mai

Sidi M'Hamed

Algeria

16000

Study participating centre

Fundacion Arturo Lopez Perez

Av. Rancagua 878

Providencia

Santiago

Chile

7500921

Study participating centre

Turku University Hospital

Oncology Clinic
Hämeentie 11
T-Hospital
Turku
Finland
20520

Study participating centre**University Hospital Leipzig**

Division of Gynecologic, Breast & Perinatal Pathology
Liebigstr. 26, Haus G
Leipzig
Germany
04103

Study participating centre**Institut für Pathologie der Uniklinik Mainz**

Gebäude 706
Langenbeckstraße
Mainz
Germany
155131

Study participating centre**Institut für Pathologie der Universitätsklinik Düsseldorf**

Gebäude 14.79
Moorenstr. 5
Düsseldorf
Germany
40225

Study participating centre**Rajiv Gandhi Cancer Institute and Research Centre**

Sector 5
Rohini
Delhi
India
110085

Study participating centre

Yashoda Hospitals

Behind Hari Hara Kala Bhavan
S.P.Road
Secunderabad
India
500003

Study participating centre**Amrita Institute of Medical Sciences**

Amrita Lane
AIMS Ponekkara P O
Cochin
India
682041

Study participating centre**Tata Memorial Centre**

Room No. 1109, 11th Floor, Homi Bhabha Block
Dr. E Borges Road
Parel East
Parel
Mumbai
India
400012,

Study participating centre**Ospedale Policlinico San Martino**

Istituto di Ricovero e Cura a Carattere Scientifico per l'Oncologia
Oncologia medica 2
Padiglione 41 (ex microbiologia)
Primo Piano Ponente Studio N°7
L.go Rosanna Benzi 10
Genova
Italy
16132

Study participating centre**IRCCS AUSL Reggio Emilia**

Viale Risorgimento 80
4 piano edificio CORE
Reggio Emilia
Italy
42123

Study participating centre
AgaKhan University Hospital Nairobi
3rd Parklands Avenue
off Limuru Road
P.O. Box 30270
Nairobi
Kenya
GPO 00100

Study participating centre
Riga East clinical University hospital
Oncology Center of Latvia
Hipokrata iela 2
Riga
Latvia
LV-1038

Study participating centre
Hospital of Lithuanian University of Health Sciences
Eivenių- 2
Kaunas
Lithuania
50161

Study participating centre
National Cancer Institute
P. Baublio 5
Vilnius
Lithuania
LT - 08406

Study participating centre
Hotel Dieu De France Hospital
Alfred Naccache Boulevard
Beirut
Lebanon
-

Study participating centre
American University of Beirut Medical Center

-
Beirut
Lebanon

Study participating centre
INO "National Institute of Oncology" of Rabat

Avenue Allal El Fassi
Rabat
Morocco

Study participating centre

CHU Hassan II of Fez

Centre Hospitalier Hrazem
BP:1835 Atlas
Avenue Hassan II
Fes
Morocco
30050

Study participating centre

Instituto Nacional de Enfermedades Neoplasicas

Av Del Pinar 106 of. 702.
Chacarilla del Estanque
Surco
Lima
Peru
15038

Study participating centre

Oncosalud

Av Del Pinar 106 of. 702.
Chacarilla del Estanque
Surco
Lima
Peru
15038

Study participating centre
Altai Regional Oncological Dispensary
Pathology department
Zmeinogorskiy Trakt, 110
Barnaul
Russian Federation
656045

Study participating centre
Krasnoyarsk Krayevaya Klinicheskaya Bol'nitsa
Pathology department
Partizana Zheleznyaka st, 3A
Krasnoyarsk
Russian Federation
660022

Study participating centre
FSBI National Medical Research Center of Oncology named after N.N. Blokhin of the Ministry of Health of Russia
Pathology department
Kashirskoe Hwy b.23
Moscow,
Russian Federation
115478

Study participating centre
King Faisal Specialist Hospital & Research Center
Al Mathar Ash Shamali
Riyadh
Saudi Arabia
11564

Study participating centre
Institute for Oncology and Radiology of Serbia
Pasterova 14
Belgrade
Serbia
11000

Study participating centre

Oncology Institute of Vojvodina

Put doktora Goldmana 4
Sremska Kamenica
Serbia
21204

Study participating centre

WCR Charlotte Maxeke Johannesburg Academic Hospital

Wits Donald Gordon Medical Centre
17 Eton Road
Parktown
Johannesburg
South Africa
2193

Study participating centre

Asan Medical Center

88, Olympic-ro 43-gil
Songpa-gu
Seoul
Korea, South
05505

Study participating centre

Institut Salah Azaiez

Boulevard du 9 Avril 1938
Tunis
Tunisia
1006

Study participating centre

CHU Farhat Hached

Rue Ibn el Jazzar
Sousse
Tunisia
4000

Study participating centre

Antalya Education and Research Hospital

Varlık
Kazım Karabekir Cd.

Muratpařa/Antalya
Türkiye
07100

Study participating centre
Cukurova University Medical Faculty
Çukurova Üniversitesi Tıp Fakültesi Balcalı Kampüsü
Sarıçam/Adana
Türkiye
01330

Study participating centre
İstanbul University Çapa Medical Faculty
Turgut Özal Millet Cad
Topkapı
Fatih/İstanbul
Türkiye
34093

Study participating centre
Trakya University Medical Faculty
Trakya Üniversitesi Sağlık Araştırma ve
Uygulama Merkezi
İskender/Edirne
Türkiye
22030

Study participating centre
Marmara University Research And Education Hospital
Fevzi Çakmak Mah
Muhsin Yazıcıođlu Cad.
Pendik/İstanbul
Türkiye
34899

Study participating centre
Poundbury Cancer Institute
Newborough House
3 Queen Mother Square
Poundbury
Dorchester

United Kingdom
DT1 3BJ,

Study participating centre

University Hospital of South Manchester NHS Foundation Trust
Wythenshawe Hospital
Southmoor Road
Wythenshawe
Manchester
United Kingdom
M23 9LT

Study participating centre

Ho Chi Minh City Oncology Hospital
30, Cau Buou street
Tan Trieu
Thanh Tri
Ha Noi
Viet Nam
-

Study participating centre

Viet Nam National Cancer Hospital
3, No Trang Long street
Ward 7
Binh Thanh district
Ho Chi Minh City
Viet Nam
-

Sponsor information

Organisation

Roche (Switzerland)

ROR

<https://ror.org/00by1q217>

Funder(s)

Funder type

Industry

Funder Name

F. Hoffmann-La Roche

Alternative Name(s)

Hoffman-La Roche, F. Hoffmann-La Roche Ltd.

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

Switzerland

Results and Publications

Individual participant data (IPD) sharing plan

The participant dataset is not available; this is not required by regulation.

IPD sharing plan summary

Not expected to be made available