ISRCTN68849312 https://doi.org/10.1186/ISRCTN68849312

Reversal of cerebrovascular endothelial dysfunction in diabetes: the effect of allopurinol upon cerebrovascular nitric oxide bioavailability

Submission date
09/09/2005

Recruitment status
No longer recruiting

Registration date
22/11/2005

Overall study status
Completed

Last Edited
05/01/2009

Condition category
Nutritional, Metabolic, Endocrine

[_] Prospectively registered
[_] Protocol
[_] Statistical analysis plan
[X] Results
[_] Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Matthew Walters

Contact details
Department of Medicine & Therapeutics
Western Infirmary
44 Church Street
Glasgow
United Kingdom
G11 6NT
+44 (0)141 211 2821
gcl203@clinmed.gla.ac.uk

Additional identifiers

Study information

Scientific Title

Study objectives
Treatment with a xanthine oxidase inhibitor will improve cerebrovascular reactivity in patients with diabetes.

Ethics approval required
Old ethics approval format

Ethics approval(s)
Not provided at time of registration

Primary study design
Interventional

Study design
Randomised controlled trial

Study type(s)
Treatment

Health condition(s) or problem(s) studied
Diabetes

Interventions
Two weeks allopurinol versus lactose capsule.

Intervention Type
Drug

Phase
Not Applicable

Drug/device/biological/vaccine name(s)
Allopurinol

Primary outcome(s)
The change in internal carotid artery flow following L-NMMA infusion.

Key secondary outcome(s)
1. Change in serum urate level
2. Change in middle cerebral artery flow velocity

Completion date
01/11/2006

Eligibility

Key inclusion criteria
1. Type II diabetes less than 5 years duration, treated with diet, metformin thiazolidinediones or a combination
2. Aged greater than 40 years

3. Normal full Bruce protocol exercise treadmill testing (ETT)
4. Favourable temporal bony window
5. HbA1c less than 9%
6. Cholesterol less than 7.5 mmol/l

Participant type(s)
Patient

Healthy volunteers allowed
No

Age group
Adult

Sex
All

Key exclusion criteria
1. Greater than 70% Internal carotid artery stenosis
2. Known coronary artery disease
3. Other significant comorbidity
4. Contraindication to allopurinol
5. Concurrent therapy with azathioprine or 6-mercaptopurine
6. Insulin or sulphonylurea treatment
7. Serum creatinine greater than 250 µmol/l

Date of first enrolment
01/11/2005

Date of final enrolment
01/11/2006

Locations

Countries of recruitment
United Kingdom

Scotland

Study participating centre
Department of Medicine & Therapeutics
Glasgow
United Kingdom
G11 6NT

Sponsor information

Organisation
Greater Glasgow NHS Board/Glasgow University (UK)

ROR
https://ror.org/05kdz4d87

Funder(s)

Funder type
Government

Funder Name
Chief Scientist Office of the Scottish Executive Health Department (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/01/2009		Yes	No