

# Hearing aids, mild hearing loss and tinnitus

<b>Submission date</b> 24/11/2012	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 14/01/2013	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 23/05/2017	<b>Condition category</b> Ear, Nose and Throat	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

### Background and study aims

Hearing aid technology has changed dramatically over the last decade with the use of miniaturised computer chips and improved plastics engineering. Both the structural design and the sound processing have seen major changes. It is suggested that the rules previously used to guide the selection of hearing aids for hearing losses and the minimum hearing loss are not relevant when considering the modern hearing instrument. In particular, for those patients with a mild hearing loss and also suffering from tinnitus (the perception of noise in one ear, both ears or the head), new open fit digital hearing aids are thought to be helpful with mild hearing losses where traditional hearing aids would not have been fitted. The aim of this study is to inform the clinical practice of audiologists who see patients with distressing tinnitus associated with a mild hearing loss; in particular whether these patients should be offered amplification with digital hearing instruments using open fit technology. A secondary aim would be to stimulate further research on a larger scale, possibly using multiple centres. A larger scale, longer term and more robust study with higher numbers of patients involved would serve to support the findings of this smaller study.

### Who can participate?

Patients with tinnitus aged between 18 and 80

### What does the study involve?

Each participant has their tinnitus severity measured before treatment and six weeks after treatment to measure any changes. The measurement tool to be used is the Tinnitus Functional Index, which is sensitive to change over time. Treatment consists of an open-fit hearing aid fitting verified by Real Ear Measurement.

### What are the possible benefits and risks of participating?

The possible benefits of participating are a reduction of tinnitus distress and improved hearing. There are no risks to the participants. The proposed treatment is identical to current clinical practice over the past 3 years.

### Where is the study run from?

Rotherham Community Health Centre (UK)

When is the study starting and how long is it expected to run for?  
January 2013 to September 2013

Who is funding the study?  
The study does not require any funding as the participants undergo the same interventions currently carried out in clinic.

Who is the main contact?  
Peter Byrom  
peter.byrom@rothgen.nhs.uk

## Contact information

**Type(s)**  
Scientific

**Contact name**  
Dr Nick Thyer

**Contact details**  
School of Healthcare, Faculty of Medicine & Health  
Baines Wing  
University of Leeds  
Leeds  
United Kingdom  
LS2 9UT  
+44 (0)113 343 1238  
N.J.Thyer@leeds.ac.uk

## Additional identifiers

## Study information

**Scientific Title**  
Does amplification alleviate the distress caused by tinnitus in patients with mild hearing loss?

**Study objectives**  
Amplification provided by digital hearing instruments using open fit technology combined with counselling, giving advice and information alleviates the tinnitus distress measured by the Tinnitus Mini Questionnaire in patients with a mild hearing loss.

**Ethics approval required**  
Old ethics approval format

**Ethics approval(s)**  
Leeds West, 05/03/2013, ref: 13/YH/0033

**Study design**  
Single-centre quasi-experimental before and after design

**Primary study design**

Interventional

**Study type(s)**

Treatment

**Health condition(s) or problem(s) studied**

Tinnitus/mild hearing loss

**Interventions**

Before and after - no control

Prior to treatment, the Tinnitus Functional Index (TFI) is completed by each participant. They are then fitted with 'open-fit' hearing aids using real ear measurements as a verification to National Acoustic Laboratories - Non Linear 2 (NAL-NL2) algorithm. After 6 weeks the TFI is completed again to measure relief from tinnitus provided by the hearing aids.

**Intervention Type**

Other

**Phase**

Not Applicable

**Primary outcome(s)**

Tinnitus Functional Index (TFI) before intervention and 6 weeks post intervention

**Key secondary outcome(s)**

No secondary outcome measures

**Completion date**

01/09/2013

**Eligibility****Key inclusion criteria**

1. Referred to Audiology for tinnitus management by general practitioner (GP), audiologist or ENT
2. A Tinnitus Functional Index higher than 24
3. Any hearing threshold >20dB in either ear
4. Aged between 18 and 80 years, either sex
5. Voluntary informed consent given
6. Psychosocially, mentally and physically able to fully comply with the protocol including adhering to follow-up schedules and requirements and filling out forms

**Participant type(s)**

Patient

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

18 years

**Sex**

All

**Key exclusion criteria**

Does not meet inclusion criteria

**Date of first enrolment**

01/01/2013

**Date of final enrolment**

01/09/2013

**Locations****Countries of recruitment**

United Kingdom

England

**Study participating centre**

**University of Leeds**

Leeds

United Kingdom

LS2 9UT

**Sponsor information****Organisation**

University of Leeds (UK)

**ROR**

<https://ror.org/024mrx33>

**Funder(s)****Funder type**

Other

## Funder Name

Investigator initiated and funded (UK)

## Results and Publications

### Individual participant data (IPD) sharing plan

The current data sharing plans for the current study are unknown and will be made available at a later date.

### IPD sharing plan summary

Data sharing statement to be made available at a later date

### Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">HRA research summary</a>			28/06/2023	No	No