

The effect of a bracelet on gastrointestinal recovery after unicompartmental knee arthroplasty

| | | |
|--|---|--|
| Submission date 06/11/2024 | Recruitment status No longer recruiting | <input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol |
| Registration date 20/01/2025 | Overall study status Completed | <input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results |
| Last Edited 20/01/2025 | Condition category Surgery | <input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year |

Plain English summary of protocol

Background and study aims

With the increasing ageing population, the incidence of knee joint degeneration is increasing year by year. Unicompartmental knee arthroplasty (UKA) is surgery used to treat end-stage knee joint diseases, which can significantly relieve pain and correct deformity. Postoperative nausea and vomiting (PONV) and constipation are common complications of UKA. Therefore, reducing the incidence of nausea and vomiting is the focus of attention and research at present. The application of a non-invasive anti-vertigo bracelet can effectively stimulate relevant acupoints, reduce the incidence of PONV and promote the rehabilitation of patients, but it has not been applied to the research in the field of joint replacement. Therefore, this study intends to verify the effect of a non-invasive anti-vertigo bracelet in preventing knee replacement PONV.

Who can participate?

Patients aged 18 - 75 years who need UKA due to end-stage osteoarthritis

What does the study involve?

All patients received the same perioperative management and drug treatment. The incidence of PONV at different timepoints (3, 6, 12 and 24 hours after the operation) was measured, and the curative effect of the bracelet on PONV after the operation was observed and analyzed.

What are the possible benefits and risks of participating?

Possible risks of the surgery include deep venous thrombosis, knee joint stiffness, and acute knee infection. The benefits of participation include a better understanding of the effect of the bracelet on postoperative PONV after joint replacement.

Where is the study run from?

Luoyang Orthopedic Hospital of Henan Province, Orthopedic Hospital of Henan Province (China)

When is the study starting and how long is it expected to run for?

January 2025 to December 2025

Who is funding the study?

1. National Natural Science Foundation of China
2. Project of Science and Technology of Henan Province (China)

Who is the main contact?

Guorui Cao, 13688172272@163.com

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Dr Guorui Cao

Contact details

82 Qiming South Road
Luoyang
China
471000
+86 (0)13258289917
13688172272@163.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Protocol serial number

2024ZXKT0009-01, 82104896

Study information

Scientific Title

The effect of EmeTerm® bracelet on gastrointestinal reaction following unicompartmental knee arthroplasty

Study objectives

This study aims to evaluate the effect of the EmeTerm® bracelet in preventing nausea, vomiting and constipation in patients undergoing unicompartmental knee arthroplasty

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 01/01/2025, Luoyang Orthopedic Hospital of Henan Province Ethics Committee (82 Qiming South Road, Luoyang, 471000, China; +86 (0)13258289917; hnlc.love@163.com), ref: 2024ZXKT0009-01

Study design

Parallel randomized controlled trial

Primary study design

Interventional

Study type(s)

Prevention, Treatment, Efficacy

Health condition(s) or problem(s) studied

Postoperative nausea, vomiting and constipation in patients undergoing knee replacement

Interventions

Using an acupoint stimulation bracelet (EmeTerm®)

All patients received the same perioperative management and drug treatment. The incidence of PONV at different time points (3, 6, 12 and 24 hours after the operation) was measured, and the curative effect of SDZ-V on PONV after the operation was observed and analyzed.

Intervention Type

Other

Primary outcome(s)

The incidence of PONV measured using questionnaire at 3, 6, 12 and 24 hours after the operation

Key secondary outcome(s)

1. The severity of nausea and vomiting measured using questionnaire in the 24 hours after the operation
2. First exhaust time and defecation time after the operation, measured using questionnaire
3. Levels of hemoglobin, albumin and electrolyte in blood measured using hospital monitoring system after the operation
4. The incidence of constipation measured using questionnaire at 3 days after the operation
5. Stratified analysis on the basis of anesthesia method and the risk of nausea and vomiting

Completion date

31/12/2025

Eligibility**Key inclusion criteria**

1. Patients aged 18 to 75 years who need knee replacement due to end-stage osteoarthritis
2. Patients who voluntarily participate in clinical trials and sign informed consent forms with good compliance

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

18 years

Upper age limit

75 years

Sex

All

Key exclusion criteria

1. Patients undergoing revision and bilateral joint replacement
2. Patients who have received acupuncture treatment within 2 weeks
3. Patients with rheumatoid disease, systemic lupus erythematosus and ankylosing spondylitis
4. Patients with severe deformity of knee joint (knee flexion ≥ 30 degrees, varus ≥ 30 degrees or valgus ≥ 15 degrees)
5. severe hepatic and renal insufficiency
6. Patients with central nervous system or mental illness
7. Those who are experiencing nausea, vomiting, diarrhea or constipation, and those who are taking drugs or non-drugs to treat nausea, vomiting, diarrhea or constipation, and those who are taking drugs that affect gastrointestinal motility
8. Skin allergy, breakage, infection or itching at the test site, etc

Date of first enrolment

10/01/2025

Date of final enrolment

30/06/2025

Locations**Countries of recruitment**

China

Study participating centre

Luoyang Orthopedic Hospital of Henan Province

82 Qiming South Road

Luoyang

China

610041

Sponsor information

Organisation

Luoyang Orthopedic-Traumatological Hospital of Henan Province

ROR

<https://ror.org/05br7cm44>

Funder(s)**Funder type**

Government

Funder Name

National Natural Science Foundation of China

Alternative Name(s)

Chinese National Science Foundation, Natural Science Foundation of China, National Science Foundation of China, NNSF of China, NSF of China, National Nature Science Foundation of China, Guójiā Zìrán Kēxué Jījīn Wěiyuánhùi, , NSFC, NNSF, NNSFC

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

China

Results and Publications**Individual participant data (IPD) sharing plan**

The datasets generated during the current study will be available upon request from Guorui Cao, 13688172272@163.com

IPD sharing plan summary

Available on request