

Clinical effectiveness of repetitive transcranial magnetic stimulation (rTMS) as an adjunctive therapy in depression - a catchment area-based randomised controlled trial

Submission date 07/02/2007	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 05/03/2007	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 03/05/2011	Condition category Mental and Behavioural Disorders	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Declan McLoughlin

Contact details
Section of Old Age Psychiatry PO70
Institute of Psychiatry
De Crespigny Park
London
United Kingdom
SE5 8AF
+44 (0)20 78480547
d.mcloughlin@iop.kcl.ac.uk

Additional identifiers

Study information

Scientific Title

Acronym

TMSplus Trial

Study objectives

TMS can be used as an adjunctive treatment for depression

Ethics approval required

Old ethics approval format

Ethics approval(s)

Institute of Psychiatry Ethical Committee (Research), ref: 251/00

Study design

Parallel group randomised placebo-controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Major depressive disorder

Interventions

Real or sham repetitive transcranial magnetic stimulation (rTMS)

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Hamilton Rating Scale for Depression (HDRS)

Key secondary outcome(s)

Clinical:

1. Beck Depression Inventory-II (BDI-II)
2. Visual Analogue Mood Scales (VAMS)
3. Brief Psychiatric Rating Scale (BPRS)

Subjective side-effects:

1. Modified Columbia ECT Subjective Side Effects Schedule (CSSES)

Cognition:

1. CAMCOG, digit-span test
2. Digit symbols modalities test
3. Grooved pegboard test

Quality of life:
SF-36 questionnaire

Economic:
Client Service Receipt Inventory (CSRI)

Completion date
31/12/2005

Eligibility

Key inclusion criteria
Over 18 years old, right-handed and have a diagnosis of major depressive disorder (DSM-IV)

Participant type(s)
Patient

Healthy volunteers allowed
No

Age group
Adult

Lower age limit
18 years

Sex
Not Specified

Key exclusion criteria

1. History of seizures
2. Head injury with loss of consciousness
3. Brain surgery
4. Presence of metallic implants
5. Evidence of dementia or other Axis 1 diagnosis
6. Substance misuse within the previous six months
7. Previous treatment with rTMS
8. Inability to provide informed consent

Date of first enrolment
01/03/2002

Date of final enrolment
31/12/2005

Locations

Countries of recruitment
United Kingdom

England

Study participating centre
Section of Old Age Psychiatry PO70
London
United Kingdom
SE5 8AF

Sponsor information

Organisation
South London and Maudsley NHS Trust (UK)

ROR
<https://ror.org/015803449>

Funder(s)

Funder type
Charity

Funder Name
Guy's & St Thomas' Charitable Foundation (R001126) (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2008		Yes	No