

Assessment of changes in ventilation following induced bronchoconstriction with inhaled histamine in normal subjects using Krypton-81m ventilation scintigraphy

Submission date 30/09/2004	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 30/09/2004	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
Last Edited 13/02/2017	Condition category Respiratory	<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Dr Philip Ind

Contact details

Department of Respiratory Medicine
Clinical Investigation Unit
Hammersmith Hospital
Du Cane Road
London
United Kingdom
W12 0HS
+44 (0)208 383 2356
p.ind@imperial.ac.uk

Additional identifiers

Protocol serial number

N0016132052

Study information

Scientific Title

Assessment of changes in ventilation following induced bronchoconstriction with inhaled histamine in normal subjects using Krypton-81m ventilation scintigraphy

Study objectives

The aim is to increase the understanding and develop quantitative measures of regional airway function using ventilation scanning using Krypton-81m.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Other

Health condition(s) or problem(s) studied

Respiratory

Interventions

Single blind randomised controlled trial. The protocol compares histamine (to induce bronchoconstriction) with normal saline (as control) i.e. no bronchoconstriction.

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Histamine

Primary outcome(s)

1. To determine if ventilation scintigraphy can be used to determine and quantify regional changes in ventilation in the lung following histamine challenge in normal subjects
2. Also to determine the extent to which these correlate with changes in overall lung function

Key secondary outcome(s)

Not provided at time of registration

Completion date

02/07/2006

Eligibility

Key inclusion criteria

Volunteers - 8, ages 18-75

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Upper age limit

75 Years

Sex

Not Specified

Key exclusion criteria

Not provided at time of registration

Date of first enrolment

03/07/2002

Date of final enrolment

02/07/2006

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Hammersmith Hospital

London

United Kingdom

W12 0HS

Sponsor information

Organisation

Department of Health

Funder(s)

Funder type

Government

Funder Name

Hammersmith Hospital NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration