

Efficacy of saline douching following endoscopic sinus surgery (ESS)

Submission date 30/09/2005	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 30/09/2005	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
Last Edited 13/05/2009	Condition category Surgery	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr S Freeman

Contact details
Otolaryngology
Lancashire Teaching Hospitals NHS Trust LTHTR
Chorley
United Kingdom
PR7 1PP

Additional identifiers

Protocol serial number
N0188124835

Study information

Scientific Title

Study objectives

To evaluate the effect of postoperative saline douching following endoscopic sinus surgery

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Surgery: Endoscopic sinus surgery (ESS)

Interventions

Randomised Controlled Study

Intervention Type

Procedure/Surgery

Phase

Not Specified

Primary outcome(s)

Reduction of complications following operation and improvement in sinonasal symptoms at 3 weeks and then at 3 months.

Key secondary outcome(s)

Not provided at time of registration

Completion date

01/02/2006

Eligibility**Key inclusion criteria**

1. Aged 18 or over
2. Diagnosis of acute or chronic rhinosinusitis or nasal polyposis
3. Patient listed for bilateral endoscopic sinus surgery

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Other nasal surgery performed concomitantly, diagnosed with inflammatory or neoplastic nasal pathology, diagnosed with systemic conditions affecting the nose, gross difference in contralateral sinonasal disease as assessed radiologically and operatively, unilateral trimming of middle turbinate during ESS, patients listed for revision surgery, neoplasms-untreated or under active or recent tx with chemotherapy or radiotherapy, major psychiatric illness active or untreated with previous hospitalisation.

Date of first enrolment

01/04/2003

Date of final enrolment

01/02/2006

Locations**Countries of recruitment**

United Kingdom

England

Study participating centre**Otolaryngology**

Chorley

United Kingdom

PR7 1PP

Sponsor information**Organisation**

Department of Health

Funder(s)**Funder type**

Government

Funder Name

Lancashire Teaching Hospitals NHS Trust (UK)

Results and Publications

Individual participant data (IPD) sharing plan**IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/10/2008		Yes	No