

Does early imaging influence management and improve outcome in patients with low back pain?

Submission date
25/04/2003

Recruitment status
No longer recruiting

☐ Prospectively registered

☐ Protocol

Registration date
25/04/2003

Overall study status
Completed

☐ Statistical analysis plan

☒ Results

Last Edited
27/08/2009

Condition category
Musculoskeletal Diseases

☐ Individual participant data

Plain English summary of protocol

Not provided at time of registration

Contact information

Type(s)

Scientific

Contact name

Prof Fiona Gilbert

Contact details

Academic Department of Radiology
University of Aberdeen
Foresterhill Annex
Foresterhill
Aberdeen
United Kingdom
AB9 2ZD
+44 01224 559718
f.j.gilbert@abdn.ac.uk

Additional identifiers

Protocol serial number

HTA 93/17/43

Study information

Scientific Title

Study objectives

For many patients with back pain the optimal role and timing of imaging (lumbar spine radiography, magnetic resonance imaging, computed tomography, myelography) is unclear. The objectives of proposed study are (a) to determine whether early as opposed to delayed selective imaging significantly impacts on clinical management and patient outcome, and (b) to assess the resource implications of the two policies within a formal economic analysis. The application is for a Scottish-based, four-centred trial involving 1200 patients.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration.

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Not Specified

Health condition(s) or problem(s) studied

Musculoskeletal diseases: Spinal conditions

Interventions

1. Early imaging
2. Delayed, selective imaging (that is, only when a clear clinical indication develops and only when judged absolutely necessary by the clinician)

A minimisation algorithm will be used to balance the 'random' allocation in respect of key prognostic variables.

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

The principle measures of patient outcome will be the Oswestry Disability Index and the SF 36 health status measure. Secondary measures will assess diagnostic impact, therapeutic impact and other parameters of health. Follow-up assessments will be performed at 6 and 24 months after entry. Secondary stratified analyses will explore the effects of pre-referral lumbar spine radiographs, amongst other factors.

Key secondary outcome(s)

Not provided at time of registration.

Completion date

31/08/2001

Eligibility

Key inclusion criteria

Back pain patients referred to a consultant orthopaedic surgeon or neurosurgeon where there is clinical uncertainty about whether or when to perform imaging

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

Not Specified

Key exclusion criteria

Patients going for immediate surgery or discharged to primary care would not be eligible.

Date of first enrolment

01/09/1996

Date of final enrolment

31/08/2001

Locations

Countries of recruitment

United Kingdom

Scotland

Study participating centre

Academic Department of Radiology

Aberdeen

United Kingdom

AB9 2ZD

Sponsor information

Organisation

Department of Health (UK)

ROR

<https://ror.org/03sbpja79>

Funder(s)**Funder type**

Government

Funder Name

NIHR Health Technology Assessment Programme - HTA (UK)

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/05/2004		Yes	No
Study website	Study website	11/11/2025	11/11/2025	No	Yes