

The TRIAGE Study: Identifying Non-Responders to Glaucoma Eye Drops

| | | |
|--|---|---|
| Submission date 28/02/2019 | Recruitment status No longer recruiting | <input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol |
| Registration date 05/03/2019 | Overall study status Completed | <input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results |
| Last Edited 26/10/2020 | Condition category Eye Diseases | <input type="checkbox"/> Individual participant data |

Plain English summary of protocol

Background and study aims

Patients with glaucoma have high pressure in their eyes (intraocular pressure, IOP) for which initial treatment is the administration of eye drops on a daily basis to reduce the pressure. If untreated, this high pressure can lead to blindness. When a patient with glaucoma returns to clinic and continues to have high pressure, it is unknown whether this is because of the way their eye works or because they are not using the eye drops properly. In the NHS at present, it can take many months to distinguish between those who respond to eye drops and those who do not. This is wasteful of time and medicines, as well as increasing the risk that patients develop adverse drug reactions when alternative drugs are tried, rather than addressing the true problem of adherence. We propose a new way of working (the Cardiff Model of Glaucoma Care, CMGC) which will mean, at most, two extra clinic visits (soon after being prescribed eye drops and four weeks later). At four weeks, patients will know whether their treatment works for them. After which, patients will return to their original clinic where those who do not respond to treatment will have the opportunity to discuss alternate treatment. The ultimate goal of this research is to reduce the time taken to identify whether patients respond to eye drops from a current uncertain, lengthy period of months to within four weeks, and thereby personalise eye medication to individuals with glaucoma more efficiently than is currently practiced in the NHS. The aim of this stage of the research is to develop and test the appropriateness of a new way of identifying people for whom eye drops do not work.

The research questions the study looks to address are as follows:

RQ1. Problem identification: What is the usual care for patients diagnosed with glaucoma who are about to commence eye drop treatment in Wales, in terms of identifying patients' responses to treatment?

RQ2. Development of intervention; Assessment of barriers to implementation; and Implementation and adaptation to context: Is it possible to develop and implement the Cardiff Model of Glaucoma Care (CMGC) into routine clinical practice?

RQ3. Monitoring and evaluation of implementation process and outcomes: What is the feasibility and NHS costs of implementing the CMGC?

RQ4. Monitoring and evaluation of implementation process and outcomes: Is the CMGC acceptable to patients and healthcare professionals?

RQ5. Monitoring and evaluation of implementation process and outcomes: How might CMGC

become embedded in practice? Synthesis of mixed method study findings from phases RQ1 to RQ4.

Who can participate?

RQ1: CLINICAL OBSERVATIONS, SITUATED INTERVIEWS AND SURVEY

Clinical observations and situated interviews: Healthcare professionals providing care in glaucoma clinics, alongside glaucoma patients receiving such care.

Survey: Glaucoma specialist leads (or nominated individuals) in each of the Welsh health boards: Abertawe Bro Morgannwg, Aneurin Bevan, Powys, Hywel Dda and Betsi Cadwaladr

RQ2: SOP DEVELOPMENT AND FOCUS GROUPS ON SOP

SOP development: A mixed group of key stakeholders including nurses, doctors, optometrists, orthoptists, pharmacists and patients. These members will be identified in liaison with the health boards involved with the study, as well as the International Glaucoma Association, so as to include the most appropriate parties.

Focus groups and interviews: A mixed group of key stakeholders including patients, carers, doctors, pharmacists, optometrists, orthoptists, nurses, policy makers and managers. These members will be identified in liaison with the two health boards involved with the study, as well as the International Glaucoma Association, so as to include the most appropriate parties.

RQ3: COHORT FEASIBILITY STUDY

CMGC cohort feasibility study: Glaucoma or ocular hypertension patients on the point of being prescribed eye drops will be recruited to the feasibility study across the primary research sites of Cwm Taf and Cardiff and Vale University health boards, as well as any other health boards later integrated into this phase of the study e.g. Abertawe Bro Morgannwg University health board.

CMGC staff training: Staff members for the CMGC will be comprised of doctors, nurses, optometrists or orthoptists working within either Cardiff and Vale University health board or Cwm Taf University health board, or any other health board later integrated into this phase of the study e.g. Abertawe Bro Morgannwg University health board.

RQ4: PATIENT / HEALTHCARE PROFESSIONAL INTERVIEWS AND OBSERVATION

Patient interviews: Interviews will be held with patients based within three sampling cohorts. The sampling cohorts are patients who have either i) never participated in CMGC and whom are eye drop naïve, or ii) never participated in CMGC and who are established eye drop users, or iii) participated in CMGC and are up to 4 months post-CMGC.

Healthcare professional interviews: Healthcare professionals and management team involved in the study across each of the respective health boards.

Observations: Participants for this element of the research would be those patients and healthcare professionals who provided consent to be involved for the cohort feasibility study.

RQ5. SYNTHESIS OF FINDINGS

No participants required.

What does the study involve?

RQ1: CLINICAL OBSERVATIONS, SITUATED INTERVIEWS AND SURVEY

Clinical observations and interviews: Observations will be carried out on between 30 and 50 clinical consultations across both research sites. This will involve recruiting between 30 and 50 glaucoma patients and between eight and 15 healthcare professionals for both the observation and the situated interviews.

Survey: The survey on current glaucoma practice will be issued out to all glaucoma leads based in the Welsh health boards, aside from those based in the primary research sites of Cardiff and Vale University Health Board and Cwm Taf University Health Board. This is expected to be between 5 and 12 specialists.

RQ2: SOP DEVELOPMENT AND FOCUS GROUPS ON SOP

SOP Development: The group of stakeholders for the SOP development meetings is expected to number between 10 and 12 participants in total.

Focus groups and Interviews: Four focus groups will be held, each comprising up to six to eight stakeholder members, including glaucoma patients and healthcare professionals. Based on participant availability, one-to-one and one-to-two interviews may also be conducted. This will result in a sample of between 24 and 32 participants.

RQ3: COHORT FEASIBILITY STUDY

CMGC cohort feasibility study: 60 glaucoma patients will be recruited to the feasibility study across each of the research sites. Should recruitment prove an issue to either of the first two primary research sites (Cardiff and Vale and Cwm Taf), this can be expanded to other Welsh health boards

CMGC staff training: Between four and seven healthcare professionals in each of the research sites (eight to 14 in total) will be expected to be working with the CMGC and be required to undertake training in relation to best practice from the developed SOP.

RQ4: PATIENT / HEALTHCARE PROFESSIONAL INTERVIEWS AND OBSERVATION

Patient interviews: Across the sampling cohorts, it is anticipated that between 18 and 30 glaucoma patients of varying backgrounds will be recruited to be interviewed. 6 to 10 of these will have been retained in the study following phase RQ3.

Healthcare professional interviews: It is expected that between 6 and 10 participants comprising nurses, consultants and clinic managers working within the CMGC will be recruited for these healthcare professional interviews.

Observations: It is expected that between 30 and 45 hours of observation will be carried out across all applicable research sites. This will involve between 6 and 10 healthcare professionals and between 30 and 45 glaucoma patients.

What are the possible benefits and risks of participating?

The study is unlikely to harm patients in any way as it does not involve any additional administration of medicines or treatments to those that would already be received. Indeed, the intention of the CMGC is to identify non-respondent patients and ensure they receive the appropriate care more quickly than in current practice. That said, there is the risk that patients may experience a time burden through attending the CMGC with the number of clinical attendances initially front-loaded. However, the study aims to identify any such issues as perceived by the patient, with the hope being that identifying the appropriate treatment early on outweighs any potential burdens and ultimately saves patients' time.

For NHS staff participants involved with the CMGC there will be a requirement to attend training sessions on its delivery. However, the benefits for glaucoma clinic staff in terms of gaining competence and confidence in the CMGC is felt to outweigh any of these burdens.

Where is the study run from?

The research is part of a project based at Cardiff University in the School of Healthcare Sciences and the School of Optometry and Vision Sciences. The project is led by Professor James Morgan and Professor Heather Waterman.

When is the study starting and how long is it expected to run for?

December 2017 to March 2019

Who is funding the study?

Health and Care Research Wales

Who is the main contact?

Dr. Simon Read, readsm@cardiff.ac.uk

Contact information

Type(s)

Public

Contact name

Dr Simon Read

ORCID ID

<https://orcid.org/0000-0003-2445-283X>

Contact details

School of Healthcare Sciences
Cardiff University
Eastgate House
35-43 Newport Road
Cardiff
CF24 0AB
Cardiff
United Kingdom
CF24 0AB
02920 688930
readsm@cardiff.ac.uk

Additional identifiers

Protocol serial number

v7; 29/01/2019

Study information

Scientific Title

Feasibility and Acceptability of a New Clinical Pathway for the Identification of Non-responders to Glaucoma Eye Drops: The TRIAGE Study

Acronym

TRIAGE

Study objectives

The research questions the study looks to address are as follows:

RQ1. Problem identification: What is the usual care for patients diagnosed with glaucoma who are about to commence eye drop treatment in Wales, in terms of identifying patients' responses to treatment?

RQ2. Development of intervention; Assessment of barriers to implementation; and Implementation and adaptation to context: Is it possible to develop and implement the Cardiff Model of Glaucoma Care (CMGC) into routine clinical practice?

RQ3. Monitoring and evaluation of implementation process and outcomes: What is the feasibility and NHS costs of implementing the CMGC?

RQ4. Monitoring and evaluation of implementation process and outcomes: Is the CMGC acceptable to patients and healthcare professionals?

RQ5. Monitoring and evaluation of implementation process and outcomes: How might CMGC become embedded in practice? Synthesis of mixed method study findings from phases RQ1 to RQ4.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 16/11/2017, West Midlands - Black Country Research Ethics Committee (Village Urban Resort Dudley, 2 Castlegate Park, Birmingham Road, Dudley, West Midlands, DY1 4TB; 0207 104 8102; nrescommittee.westmidlands-blackcountry@nhs.net), ref: 17/WM/0404 (IRAS: 232242; Sponsor ref: SPON1630-17)

Study design

Non-randomised cohort feasibility study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Glaucoma / ocular hypertension

Interventions

The study is testing a new way of working in outpatient glaucoma clinics. The 'intervention' is an adaptation of the clinical appointments into two sessions separated by four weeks in which intraocular pressure (IOP) is measured and an eye drop instilled by the clinician prior to the remeasurement of the IOPs four hours post-instillation (i.e. the Cardiff Model of Glaucoma Care, CMGC)

Intervention Type

Other

Primary outcome(s)

RQ3:

3.1 The number of participants recruited

3.2 The proportion recruited from those approached

3.3 The time (in months) from clinics being open to recruit to stopping recruiting

3.4 The proportion of participants who receive the intervention as intended (i.e. receive all appropriate IOP measures, eye drops, and follow-up visits)

3.5 The number / proportion of participants who do not receive each component of the intervention

3.6 The proportion of participants who do not attend the four-week follow-up visit

3.7 The average (and some measure of variance) time taken to complete the initial visit:

3.7.1 For first-line (initial) responders

3.7.2 For second-line (initial) responders

3.7.3 For others

3.8 The proportion of participants that initiate eye drop therapy

3.9 The proportion of participants who instil eye drops as prescribed (and how this changes over

the four-week period between initial and follow-up visit)

3.10 The average time interval between eye drop use (and how this changes over the four-week period between initial and follow-up visit)

3.11 The proportion of participants who discontinue eye drop therapy during this time period and time to discontinuation

3.12 The average (and measure of variance) time taken to complete the follow-up visit

3.13 The average (and measure of variance) in IOP at:

3.13.1 Baseline (prior to commencing eye drop treatments)

3.13.2 Following first-line eye drops being instilled

3.13.3 Following instilling final eye drop treatment at initial visit

3.13.4 At four weeks

In responders who adhered adequately

In responders who did not adhere adequately

In non-responders

Key secondary outcome(s)

RQ1:

1.1 Qualitative analysis (using framework analysis, FA) of a sample of consultations between patients and healthcare professionals (HCPs) to answer 'what is the usual care for patients?'

1.2 Quantitative analysis of survey designed to determine the extent to which models of care identified in (1.1) are used in Wales.

RQ2:

2.1 Qualitative analysis of focus-group and stakeholder interviews

RQ4:

4.1 Qualitative analysis (using framework analysis, FA) of interviews with patients and HCPs to answer 'Is the CMGC acceptable to patients and HCPs?'

RQ5:

We will evaluate the study findings against the following criteria for progression to a pilot RCT of the CMGC:

5.1 40% of patients approached are recruited to the study

5.2 50% of patients receive the intervention as intended

5.3 60% of eligible patients recruited over 6 months

Completion date

31/07/2019

Eligibility

Key inclusion criteria

RQ1: CLINICAL OBSERVATIONS, SITUATED INTERVIEWS AND SURVEY

Observations and Situated Interviews:

1. Aged 18 years or over

2. Attending an outpatient glaucoma clinic

3. Diagnosed with either glaucoma, ocular hypertension, normal tension glaucoma or pseudo-exfoliative glaucoma

4. Cognitively able to participate in the study

5. Able to speak English or have access to an interpreter.

6. Healthcare professionals will be eligible for inclusion if they are providing care to patients fitting the inclusion criteria within either of the primary research sites.

Survey:

1. Glaucoma specialist lead or nominated individual in a Welsh health board aside from Cwm Taf University Health Board and Cardiff and Vale University Health Board.

RQ2: SOP DEVELOPMENT AND FOCUS GROUPS ON STANDARD OPERATING PROCEDURE

SOP Development:

1. From one of the following stakeholder groups: nurses, doctors, optometrists, orthoptists, pharmacists, and glaucoma patients.
2. Aged 18 years or over
3. Must be cognitively able to participate
4. Able to speak English.

Focus Groups:

1. From one of the following stakeholder groups: glaucoma patient, lay carer of a glaucoma patient, doctor providing glaucoma care, pharmacist, optometrist, orthoptist, nurse providing glaucoma care, policy maker or NHS manager.
2. Aged 18 years or over
3. Must be cognitively able to participate
4. Able to speak English.

RQ3: COHORT FEASIBILITY STUDY

CMGC Cohort Feasibility Study:

1. Aged 18 years or over
2. Diagnosed with either primary open angle glaucoma, ocular hypertension, pseudo-exfoliative glaucoma, IOP equal to or greater than 21 mmHg, or normal tension glaucoma
3. Be on the point of being prescribed glaucoma eye drops.
4. Must be cognitively able to participate
5. Able to speak English or have access to an interpreter.

CMGC Staff Training:

1. Healthcare professionals are required to be working in one of the two ophthalmic research sites as either a doctor, nurse, orthoptist or optometrist.

RQ4: PATIENT / HEALTHCARE PROFESSIONAL INTERVIEWS AND OBSERVATION

Patient Interviews:

1. Adult patients aged 18 years or over
2. Diagnosed with either glaucoma, ocular hypertension, normal tension glaucoma or pseudo-exfoliative glaucoma
3. Cognitively able to participate in the study
4. Have either i) never participated in CMGC and whom are eye drop naïve, or ii) never participated in CMGC and who are established eye drop users, or iii) participated in CMGC and are up to 4 months post-CMGC.

Healthcare Professional Interviews:

1. Healthcare professional or member of the management team involved in the operation of the CMGC study.

Observation:

Either:

1. Glaucoma patient receiving the CMGC intervention (aged 18 years or over) OR
2. Healthcare professional or member of the clinical team involved in the operation of the CMGC study

RQ5. SYNTHESIS OF FINDINGS

No inclusion / exclusion criteria required. No new participants.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

53

Key exclusion criteria

RQ3: COHORT FEASIBILITY STUDY

CMGC Cohort Feasibility Study:

1. Ocular surgery in the last three months
2. Having a form of acute glaucoma
3. Already being prescribed and taking eye drops
4. Any other condition that may affect drop efficacy

Date of first enrolment

01/12/2017

Date of final enrolment

15/04/2019

Locations

Countries of recruitment

United Kingdom

Wales

Study participating centre

Cardiff and Vale University Health Board

Cardiff and Vale UHB Headquarters

University Hospital of Wales (UHW)

Heath Park

Cardiff

United Kingdom
CF14 4XW

Study participating centre
Cwm Taf University Health Board
Royal Glamorgan Hospital
Ynysmaerdy
Llantrisant
Pontypridd
United Kingdom
CF72 8XR

Study participating centre
Abertawe Bro Morgannwg University Health Board
Singleton Hospital
Sketty Lane
Sketty
Swansea
United Kingdom
SA2 8QA

Study participating centre
Betsi Cadwalader University Health Board
Ysbyty Gwynedd
Penrhosgarnedd
Bangor
Gwynedd
Bangor
United Kingdom
LL57 2PW

Study participating centre
Powys Teaching Health Board
Glasbury House
Bronllys Hospital
Bronllys
Powys
Bronllys
United Kingdom
LD3 0LU

Study participating centre
Hywel Dda University Health Board
Corporate Offices,
Ystwyth Building,
Hafan Derwen,
St Davids Park
Jobswell Road,
Carmarthen
United Kingdom
SA31 3BB

Study participating centre
Aneurin Bevan University Health Board
Headquarters
St Cadoc's Hospital
Lodge Road
Caerleon
Newport
United Kingdom
NP18 3XQ

Sponsor information

Organisation
Cardiff University

ROR
<https://ror.org/03kk7td41>

Funder(s)

Funder type
Government

Funder Name
Health and Care Research Wales

Alternative Name(s)
Health & Care Research Wales, Health Care Research Wales, Ymchwil lechyd a Gofal Cymru, HCRW

Funding Body Type

Government organisation

Funding Body Subtype

Research institutes and centers

Location

United Kingdom

Results and Publications

Individual participant data (IPD) sharing plan

All data generated or analysed during this study will be included in the subsequent results publication

IPD sharing plan summary

Other

Study outputs

| Output type | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|--------------------------------------|---------|--------------|------------|----------------|-----------------|
| Results article | results | 01/12/2020 | 26/10/2020 | Yes | No |
| HRA research summary | | | 28/06/2023 | No | No |