

Testing the safety and effectiveness of a new cream in men with seborrheic dermatitis of the face and chest

Submission date 16/10/2019	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 17/10/2019	Overall study status Completed	<input type="checkbox"/> Protocol <input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 11/11/2019	Condition category Skin and Connective Tissue Diseases	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Seborrheic dermatitis (SD) is a common condition that causes redness of the skin, flaking/scaling and dandruff. It is thought that excess oil production in the skin and overgrowth of *Malassezia furfur* (a type of yeast fungus that is normally found on the skin) can contribute to SD. Nutradeica is a cream that contains agents that reduce fungal growth, oil production and inflammation. This study aims to investigate whether Nutradeica can treat SD.

Who can participate?

Men aged 21-65 years who have SD on their face and chest, but otherwise are in good health.

What does the study involve?

All participants will apply the cream to their face and chest twice daily for 14 days. Before the start of treatment, at 7 days after the start of treatment and at 14 days after the start of treatment, they will have skin scrapings and small skin samples taken, fill in some forms to assess their SD symptoms and be assessed by the researchers.

What are the possible benefits and risks of participating?

The possible benefit to participants is that the cream may improve their SD symptoms and their microbial skin flora may be re-balanced. The possible risks related to the skin sample procedure are represented, in the worst cases, by a spot about 2 mm of slightly different complexion (lighter or darker) than the surrounding skin or a small scar of 2 mm, similar to a chicken pox scar

Where is the study run from?

Dermatology Unit of University of Naples Federico II (Italy)

When is the study starting and how long is it expected to run for?

May 2017 to April 2019

Who is funding the study?

ISDIN, the company that makes Nutradeica

Who is the main contact?
Javier Bustos, javier.bustos@isdin.com

Contact information

Type(s)
Public

Contact name
Mr Javier Bustos

Contact details
ISDIN S.A.
Provençals 33
Barcelona
Spain
08019
+34 (0)932402020
javier.bustos@isdin.com

Additional identifiers

Clinical Trials Information System (CTIS)
2019-003813-32

Protocol serial number
ISD-CL-DE-1058-01-2017

Study information

Scientific Title

Experimental, prospective, open, monocenter, clinical trial for the evaluation of a novel cream used to improve the condition of seborrheic dermatitis topically applied on face and chest in patients with seborrheic dermatitis

Study objectives

The pathogenesis of seborrheic dermatitis (SD) is multifactorial and traditional treatments may not target all aspects of them. The aim of this study was to evaluate short term anti-fungal, anti-microbial, anti-inflammatory and anti-pruritus properties of a novel non-steroidal cream (NSC) containing piroctone olamine, zinc PCA, hydroxyphenyl propamidobenzoic acid, biosaccharide gum-2 and stearyl glycyrrhetinate in patients with face and chest SD.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 19/03/2018, Ethics Committee for Biomedical Activities "Carlo Romano" of University of Naples Federico II (Dipartimento di Scienze Biomediche Avanzate, Via S. Pansini, 5-80131 Napoli, Italy; +39 (081)7463468 e-mail: comitato.etico@unina.it), ref: 35/18

Study design

Single-centre prospective open-label trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Seborrheic dermatitis

Interventions

Patients were instructed to apply Nutradeica cream twice daily on the face and on the chest for 14 days. The investigator evaluated their skin condition at first visit and after 7 and 14 days of product use. A physician will perform skin scale scraping from the face (wings of the nose) and the chest through the study. In addition, the physician will perform a biopsy (2 mm diameter) in the same area on the chest at first visit and after 7 days product use.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Nutradeica (containing active agents piroctone olamine , zinc PCA, hydroxyphenyl propamidobenzoic acid, biosaccharide gum-2 and stearyl glycyrrhettinate)

Primary outcome(s)

1. Severity of seborrheic dermatitis assessed using a scoring index (SI) evaluating erythema, desquamation, itching and irritation at baseline and after 7 and 14 days of treatment
2. Seborrheic dermatitis severity assessed using the Investigator's Global Assessment Score (IGA) at baseline and after 7 and 14 days of treatment

Key secondary outcome(s)

1. Patient evaluation of erythema assessed using a visual analog scale at baseline and after 7 and 14 days of treatment
2. Patient evaluation of scaling assessed using a visual analog scale at baseline and after 7 and 14 days of treatment
3. Patient evaluation of itching assessed using a visual analog scale at baseline and after 7 and 14 days of treatment
4. Patient evaluation of sensation of heat assessed using a visual analog scale at baseline and after 7 and 14 days of treatment
5. Patient evaluation of pain assessed using a visual analog scale at at baseline and after 7 and 14 days of treatment
6. Patient evaluation of irritation assessed using a visual analog scale at baseline and after 7 and 14 days of treatment
7. Patient evaluation of seborrheic dermatitis severity change assessed using the Patient Global Assessment (PGA) after 7 and 14 days of treatment

8. Antifungal effect assessed by quantifying *Malassezia furfur* colony-forming units from skin scrapings at baseline and after 7 and 14 days of treatment
9. Antimicrobial effect assessed by quantifying *Staphylococcus epidermidis* colony-forming units from skin scrapings and gene expression of antimicrobial peptides (HBD2 and HBD3) at baseline and after 7 and 14 days of treatment
10. Anti-inflammatory effect assessed by quantifying gene expression of IL-1 α , IL-1 β , IL-6, IL-8 and TNF- α in skin biopsies at baseline and after 7 and 14 days of treatment
11. Anti-pruritic effect assessed by quantifying gene expression of cathepsin S (CTS) and L-histidine decarboxylase (HDC) in skin biopsies at baseline and after 7 and 14 days of treatment
12. Tolerability assessed by quantifying adverse events recorded by the investigator or reported by patients during the study

Completion date

01/04/2019

Eligibility

Key inclusion criteria

1. Males in otherwise good health
2. Aged 21-65 years at time of enrollment
3. Mild to moderate visible SD on face and chest area

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

Male

Total final enrolment

12

Key exclusion criteria

1. Acute or chronic disease or medical condition that could put participant at risk in the opinion of the Principal Investigator or compromise study outcomes
2. History of allergic reactions, skin sensitization and/or known allergies to cosmetic ingredients, toiletries, sunscreens, etc.
3. Immunocompromised
4. Taking other medications (oral or topical) that could interfere with the interpretation of the results

Date of first enrolment

11/04/2018

Date of final enrolment

22/02/2019

Locations

Countries of recruitment

Italy

Study participating centre

Dermatology Unit of University of Naples Federico II

Universita Di Napoli Federico II

Azienda Ospedaliera Universitaria Federico II

Dip. Ad Attivita Integrata di Medicina Clinica

Via S. Pansini, 5

Naples

Italy

80131

Sponsor information

Organisation

ISDIN S.A.

ROR

<https://ror.org/04dg86p75>

Funder(s)

Funder type

Industry

Funder Name

ISDIN S.A.

Results and Publications

Individual participant data (IPD) sharing plan

All data generated or analysed during this study will be included in the subsequent results publication.

Written informed consent from participants was obtained.

IPD sharing plan summary

Data sharing statement to be made available at a later date

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/02/2020	11/11/2019	Yes	No