

Immune response to Shingrix vaccination in patients with chronic lymphocytic leukemia or Waldenstrom macroglobulinemia while undergoing treatment with BTK inhibitors

Submission date 15/11/2023	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 16/11/2023	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 17/11/2023	Condition category Cancer	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

The blood cell cancers chronic lymphocytic leukemia (CLL) and Waldenstrom macroglobulinemia (WM) are known risk factors for zoster reactivation, commonly called shingles. Shingles is a viral infection that causes a painful rash. Although a recently FDA-approved herpes zoster vaccine (Shingrix) is currently being offered to these populations, no study has specifically evaluated the vaccine response in patients while on treatment with single-agent BTK inhibitors, the current standard therapy for this group. The aim of this study is to evaluate the immune response, through a blood test, to the Shingrix vaccine in these patients.

Who can participate?

Patients with CLL or WM who are at least 50 years old and undergoing first-line treatment with a BTK inhibitor.

What does the study involve?

Participants will receive two doses of the Shingrix vaccine administered as an injection into the muscle in their upper arm. The second dose of vaccine will be administered about 2 months after the first dose. Blood samples will be collected before the first dose of vaccine, about 4 weeks and 24 months after the second dose of vaccine.

What are the possible benefits and risks of participating?

Potential benefits are getting an FDA-approved zoster vaccine. Potential risks associated with blood draws include lightheadedness, bruising at the site of the needle stick and infection. Common side effects of the Shingrix vaccine include pain, redness and swelling at the injection site, muscle pain, tiredness, headache, shivering, fever and upset stomach.

Where is the study run from?

University of Rochester (USA)

When is the study starting and how long is it expected to run for?
June 2018 to August 2022

Who is funding the study?

1. University of Rochester (USA)
2. GlaxoSmithKline Biologicals (Belgium)

Who is the main contact?

Dr Michael Brady, Michael_Brady@urmc.rochester.edu

Contact information

Type(s)

Public, Scientific

Contact name

Dr Michael Brady

Contact details

Wilmot Cancer Institute
601 Elmwood Ave
Rochester
United States of America
14642
+1 (0)585 276 3203
michael_brady@urmc.rochester.edu

Type(s)

Principal investigator

Contact name

Dr Jonathan Friedberg

Contact details

Wilmot Cancer Institute
601 Elmwood Ave
Rochester
United States of America
14642
+1 (0)585 276 3203
jonathan_friedberg@urmc.rochester.edu

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

ClinicalTrials.gov (NCT)

NCT03771157

Protocol serial number

RSRB00003228

Study information

Scientific Title

Serologic response to a new recombinant, adjuvanted herpes zoster vaccine in patients with chronic lymphocytic leukemia and Waldenstrom macroglobulinemia treated with first-line BTK inhibitors

Study objectives

Patients with chronic lymphocytic leukemia (CLL) or Waldenstrom macroglobulinemia (WM) undergoing first-line treatment with BTK inhibitors will elicit short-term and long-term immune response to the Shingrix varicella zoster vaccine.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 03/01/2019, Research Subjects Review Board (601 Elmwood Ave, Rochester, 14642, United States of America; +1 (0)585 273 4576; michelle_giglio@urmc.rochester.edu), ref: RSRB00003228

Study design

Single-center interventional one-arm pilot study

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Chronic lymphocytic leukemia or Waldenstrom macroglobulinemia

Interventions

Participants will receive two doses of the Shingrix vaccine administered as an injection into the muscle in their upper arm. The second dose of vaccine will be administered about 2 months after the first dose. Blood samples will be collected before the first dose of vaccine, about 4 weeks and 24 months after the second dose of vaccine.

Intervention Type

Biological/Vaccine

Phase

Phase I

Drug/device/biological/vaccine name(s)

Recombinant Varicella Zoster Glycoprotein E (Shingrix)

Primary outcome(s)

Vaccine response at 4 weeks post-vaccination, as determined by serum antibody levels to the varicella virus glycoprotein E subunit (anti-gE) measured using ELISA

Key secondary outcome(s)

Vaccine response at 24 months post-vaccination, as determined by serum antibody levels to the varicella virus glycoprotein E subunit (anti-gE) measured using ELISA

Completion date

03/08/2022

Eligibility**Key inclusion criteria**

1. Patients diagnosed with chronic lymphocytic leukemia (CLL) OR Waldenström macroglobulinemia (WM)
2. 50 years of age or older
3. Receiving first-line treatment with BTK inhibitor for at least 3 months; prior treatment with single-agent rituximab is permitted if the last dose was administered more than 1 year ago
4. Have at least a 1-year life expectancy
5. Have a history of varicella (chickenpox) OR lived in the US or any endemic country for >30 years

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

50 years

Sex

All

Total final enrolment

32

Key exclusion criteria

1. Known hypersensitivity to a vaccine component
2. Herpes zoster reactivation within the past year
3. Received or were scheduled to receive a live virus vaccine in the period from 4 weeks prior to Dose 1 through 28 days post-second dose
4. Received or were scheduled to receive an inactivated vaccine in the period ranging from 7 days prior to Dose 1 through 7 days post-second dose
5. Are unable to give informed consent;
6. An absolute lymphocyte count greater than $20,000 \times 10^9/L$
7. Receiving treatment for CLL or WM with an additional agent other than a BTK inhibitor

- 8. Rituximab treatment less than one year prior to study start
- 9. Prior chemotherapy

Date of first enrolment

01/02/2019

Date of final enrolment

18/06/2019

Locations

Countries of recruitment

United States of America

Study participating centre

University of Rochester Medical Center, Wilmot Cancer Institute

601 Elmwood Ave

Rochester

United States of America

14642

Sponsor information

Organisation

University of Rochester

ROR

<https://ror.org/022kthw22>

Funder(s)

Funder type

University/education

Funder Name

University of Rochester

Alternative Name(s)

U of R, U of Rochester, Universitas Rocestriensis, UR

Funding Body Type

Private sector organisation

Funding Body Subtype

Universities (academic only)

Location

United States of America

Funder Name

GlaxoSmithKline Biologicals

Alternative Name(s)

GSK Belgium, GlaxoSmithKline Biologicals SA, GlaxoSmithKline Biologicals SAS, GlaxoSmithKline (GSK) Biologicals, GSK Biologicals, GSK

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

Belgium

Results and Publications

Individual participant data (IPD) sharing plan

Data generated from this study will be available upon reasonable request from Dr Michael Brady (michael_brady@urmc.rochester.edu).

Summary-level participant demographic data will be shared upon request, individual participant demographic data will not be shared due to the limited number of participants. Raw ELISA data collected from samples at baseline, 4 weeks and 24 months post-vaccination with associated disease type will be shared. Data are available now. All participants were consented prior to study activities. All data is anonymous, patient identifiable information will not be shared.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		23/07/2023	16/11/2023	Yes	No
Basic results			17/11/2023	No	No