

Using a smartphone to improve recovery and reduce the risk of postoperative pain after major orthopaedic surgery: evaluating the iCanCope Post-Op smartphone app

Submission date 22/02/2022	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 17/05/2022	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
Last Edited 22/02/2024	Condition category Surgery	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

Plain English summary of protocol

Background and study aims

20% of adolescents undergoing surgery will develop chronic postoperative pain. Unrelieved or poorly treated postoperative pain can lead to delayed re-mobilization, increased medication use and reduced health-related quality of life, such as sleep, anxiety, social, and school functioning. Psychological variables have been highlighted as risk factors for reporting acute postoperative pain and interventions that address these variables have proven successful in assisting acute postoperative pain management. Smartphone devices with Internet capabilities may improve pain self-management for adolescents with postoperative pain by improving health self-monitoring in everyday environments (e.g., home, school), promoting appropriate self-care (e.g., taking all required medication, ways to cope with pain) and reducing barriers to optimal pain treatment (e.g., lack of transportation to appointments, access to health care providers). A recent review found that pain self-management apps available at the moment for patients undergoing surgery lacked (i) goal-setting/social support functions; (ii) comprehensive pain self-management content; (iii) scientific evaluation; and (iv) consultation with end-users in app design. No apps in the review were designed for paediatric patients.

To address this problem, this project seeks to develop and determine the feasibility and preliminary effectiveness of iCanCope with Post-Operative Pain (or iCanCope PostOp), a self-management smartphone app that provides remote “just-in-time” evidence-based advice to improve pain management and quality of life for adolescents following surgery.

The iCanCope platform is a Canadian smartphone-based (iOS and Android) self-management app for youth with different types of persistent pain (iCanCope.ca). iCanCope includes the core features of symptom tracking, symptom trends, SMART goal-setting, and a library of pain education and self-management strategies.

The aim of this study is to evaluate the effectiveness of the newly developed iCanCope PostOp smartphone app for reducing preoperative anxiety, improving postoperative pain self-management, reducing the impact of acute postsurgical pain and improving physical and psychological outcomes for adolescents undergoing limb reconstruction surgery.

Who can participate?

Adolescents aged 12-18 years who will be undergoing limb reconstruction surgery

What does the study involve?

Participants will be put into one of two groups, the intervention group or the control group. As well as receiving their normal medical treatment, the intervention group will use the iCanCope PostOp smartphone app for 4-10 weeks before surgery and 12 weeks after surgery. The control group will not use the app, receiving just their normal medical treatment. All participants will fill out a series of questionnaires at five timepoints across the study. After the study, both groups will be analyzed to see if using the iCanCope PostOp app was effective in reducing preoperative anxiety and the interference of postoperative pain.

What are the possible benefits and risks of participating?

Participants may benefit from a reduction in preoperative anxiety and postoperative pain interference. The researchers do not foresee any risks due to taking part in this study.

Where is the study run from?

NUI Galway (Ireland)

When is the study starting and how long is it expected to run for?

October 2017 to December 2023

Who is funding the study?

Health Research Board (Ireland)

Who is the main contact?

Prof. Brian McGuire

brian.mcguire@nuigalway.ie

Contact information

Type(s)

Scientific

Contact name

Prof Brian McGuire

Contact details

Centre for Pain Research

School of Psychology

NUI Galway

Galway

Ireland

H91 EV56

+353 (0)91 493266

brian.mcguire@nuigalway.ie

Type(s)

Public

Contact name

Mr Paul O'Reilly

Contact details

Centre for Pain Research
School of Psychology
NUI Galway
Galway
Ireland
H91 EV56
+353 (0)868600130
paul.p.oreilly@nuigalway.ie

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Protocol serial number

Nil known

Study information

Scientific Title

Feasibility and preliminary efficacy study of an online pain management programme for children undergoing major orthopaedic surgery: iCanCope Post-Op Surgery

Acronym

iCC

Study objectives

The iCanCope PostOp smartphone app, app intervention, control and outcomes measures can be implemented as planned (fidelity). The iCanCope PostOp smartphone app can reduce anxiety 1 week before surgery, reduce the impact of acute postoperative pain interference and positively impact other key health outcomes – pain intensity, depression, anxiety, sleep and physical function, overall health and school attendance - for 12-18-year-old patients undergoing surgery for limb reconstruction.

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. Approved 15/10/2019, CHI Crumlin (Cooley Road, Crumlin, Dublin, D12 N512, Ireland; +353 (0) 1 4096100; claire.rice@olchc.ie), ref: GEN/688/18
2. Approved 10/12/2019, CHI Temple Street (Temple Street, Rotunda, Dublin 1, D01 XD99, Ireland; +353 (0)1 8784200; lennonje@tcd.ie), ref: 19.047
3. Approved 27/07/2020, Blackrock Clinic (Rock Road, Intake, Blackrock, Co.Dublin, Ireland; +353 (0)1 2832222; aoife.cooke@blackrock-clinic.com), ref: not applicable
4. Approval pending, National Orthopaedic Hospital Cappagh (Cappagh Road, Cappoge, Dublin 11, D11 EV29, Ireland; +353 (0)1 8140400; Mary.Byrne@nohc.ie), ref: CAPP/2018/ETH/SH-DCEO-232

Study design

Multi-centre parallel-group pilot randomized controlled trial

Primary study design

Interventional

Study type(s)

Quality of life

Health condition(s) or problem(s) studied

Preoperative anxiety and postoperative pain for adolescents aged 12- 18 years undergoing surgery for limb reconstruction

Interventions

A multi-centre, parallel groups pilot RCT design will be conducted with at least 60 adolescents. Adolescent patients (12-18 years) who are to undergo surgery for limb reconstruction will be recruited:

1. Through NUI Galway, School of Psychology and Centre for Pain Research official websites and social media – Facebook and Twitter - study and research team contact information will be advertised and interested families can make contact
2. Local and national press – e.g. Galway Advertiser, iRadio - study and research team contact information will be advertised and interested families can make contact.
3. From waiting lists of those scheduled to undergo limb reconstruction surgery at a number of collaborating hospitals

Adolescent patients (12-18 years) on waiting lists for limb reconstruction surgery will be screened by the clinical nurse specialist according to the inclusion and exclusion criteria. Eligible patients and their families will be approached by the clinical nurse specialist, informed of the study and asked if their details can be passed on to the research team. The research team will contact interested patients and their families to provide more details of the study and find out whether they would like to take part in the study. If they agree to take part, consent/assent will be obtained. If families do not wish to agree to take part there and then, they will be given the contact details of the research team and can make contact if they wish to take part.

Alternatively, members of the research team will attend the pre-op clinics and eligible patients and their families will be referred to the research team by the clinical nurse specialist, who will explain the study to them in detail. If families agree to take part, consent/assent will be obtained there and then. If families do not wish to agree to take part there and then, they will be given the contact details of the research team and can make contact if they wish to take part. Due to the current COVID-19 restrictions, an optional remote video recruitment meeting - using the WhatsApp platform – is included in the recruitment process. This is to provide a personal introduction to the study in lieu of meeting the family face-to-face.

Patients and their families who agree to take part in the study will receive an app-instructional /use meeting by a member of the research team or an on-site clinician at their pre-op visit or at the pre-op clinic. During this introduction, they will be shown how to use the app and guided through the main functions.

In lieu of being able to carry out this 'app-instructional/use meeting' face-to-face with patients at their pre-op clinic due to COVID-19 restrictions or because no face-to-face contact with participants has occurred (e.g. recruited via social media), a remote video meeting may be set-up to walk patients through app use and explain the main functions of the app. Similar to the

remote video recruitment meeting, this will be done via Whatsapp and will only be carried out if an on-site clinician is not able to run through this with patients.

Participants will then be randomized into either a control group or an intervention group. Randomization will be conducted securely online using the REDCap secure web application. Following randomization, participants will be instructed on the procedures to be followed within their assigned study group.

Intervention group:

In addition to receiving treatment as usual, participants in the intervention group will be given the iCanCope PostOp smartphone app to use before and after surgery. Participants will use the app 4-10 weeks preoperatively and 12 weeks postoperatively.

Control group:

Patients in the control group will receive treatment as usual.

Descriptive variables will be collected securely online using the REDCap secure web application via questionnaires including sociodemographic characteristics, surgery-related characteristics, pain-related characteristics; adolescent access, use, and comfort level with smartphones.

Intervention Type

Other

Primary outcome(s)

1. Accrual and dropout rates measured using the study enrolment logs throughout the study period, with total rates calculated at study completion
2. Fidelity measured using the study enrolment logs. The researchers will track any technical or other issues with enrolling participants in the study enrolment loss so they can calculate a rate of successful app onboarding, and measure completion. Tracking of this is done throughout the study and rates are calculated at study completion
3. Adolescents' perceptions regarding app acceptability and satisfaction measured using qualitative interviews after the trial has ended
4. App engagement measured for intervention participants only using the analytics dashboard. Specifically, the researchers measure the rate of check-in completion, articles read and goals set at study completion

Key secondary outcome(s)

1. Pain intensity measured using Pain Intensity Questionnaire at T0, T1, T2, T3 & T4
2. Pain interference measured using PROMIS Pediatric – Pain Interference at T0, T1, T2, T3 & T4
3. Pain catastrophizing measured using Pain Catastrophizing Scale Children at T0, T1, T2, T3 & T4
4. Pain self-efficacy measured using Pain Intensity Questionnaire at T0, T1, T2, T3 & T4
5. Depression measured using PROMIS Pediatric – Depressive Symptoms at T0, T1, T2, T3 & T4
6. Anxiety measured using PROMIS Pediatric – Anxiety at T0, T1, T2, T3 & T4
7. Sleep measured using PROMIS Pediatric – Sleep Disturbance at T0, T1, T2, T3 & T4
8. Physical function measured using PROMIS Pediatric – Mobility at T0, T1, T2, T3 & T4
9. Patient's impressions of recovery using Patient Global Impression of Change at T4
10. Participants in the intervention group' acceptability of the iCanCope PostOp app using Acceptability e-Scale at T1 & T4
11. School attendance measured Health Services, Medication and School Attendance at T2, T3 & T4

T0/baseline = 6-8 weeks before surgery

T1 = 1 week before surgery

T2 = 2 weeks after surgery

T3 = 4 weeks after surgery

T4 = 12 weeks after surgery

Completion date

31/01/2025

Eligibility

Key inclusion criteria

1. Aged 12 to 18 years
2. Own a smartphone compatible with the iCanCope app (iOS or Android)
3. Able to speak and read English
4. Scheduled to undergo limb reconstruction surgery

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Lower age limit

12 years

Upper age limit

18 years

Sex

All

Key exclusion criteria

1. Significant cognitive impairment or other co-existing medical condition that could limit the ability to use the iCanCope app, as identified by their health care provider
2. Diagnosed chronic pain condition not related to the surgical condition

Date of first enrolment

01/04/2022

Date of final enrolment

31/01/2025

Locations

Countries of recruitment

Ireland

Study participating centre**CHI Crumlin**

Cooley Road
Crumlin
Dublin
Ireland
D12 N512

Study participating centre**CHI Temple Street**

Temple Street
Rotunda
Dublin
Ireland
D01 XD99

Study participating centre**National Orthopaedic Hospital Cappagh**

Cappagh Road
Cappoge
Dublin
Ireland
D11 EV29

Sponsor information**Organisation**

National University of Ireland, Galway

ROR

<https://ror.org/03bea9k73>

Funder(s)**Funder type**

Government

Funder Name

Health Research Board

Alternative Name(s)

Health Research Board, Ireland, An Bord Taighde Sláinte, HRB

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Ireland

Results and Publications

Individual participant data (IPD) sharing plan

Raw data is not expected to be made available

IPD sharing plan summary

Not expected to be made available