

A phase II, dose ranging, multi-centre study to evaluate the safety and efficacy of combretastatin A4 phosphate for treating subfoveal choroidal neovascularization in subjects with pathologic myopia

Submission date 07/12/2006	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 19/12/2006	Overall study status Completed	☐ Statistical analysis plan ☐ Results
Last Edited 08/08/2008	Condition category Eye Diseases	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr David Brown

Contact details
Vitreoretinal Consultants
6560 Fannin St., Ste. 750
Houston
United States of America
77030

Additional identifiers

Protocol serial number
MMD-213

Study information

Scientific Title

Study objectives

To evaluate the safety and efficacy of three dose groups (27, 36 and 45 mg/m²) of Combretastatin A4 Phosphate for the treatment of subfoveal Choroidal NeoVascularization (CNV) in subjects with pathologic myopia.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Western Institutional Review Board, Local Institutional Review Boards, and the Food and Drugs Administration (FDA).

Primary study design

Interventional

Study design

A phase II, dose ranging, multi-centre study

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Pathologic myopia; myopic macular degeneration

Interventions

Combretastatin A4 Phosphate (CA4P) versus placebo

Intervention Type

Drug

Phase

Phase II

Drug/device/biological/vaccine name(s)

Combretastatin A4 Phosphate

Primary outcome(s)

Best corrected ETDRS visual function (visual acuity) as evaluated by a masked grader.

Key secondary outcome(s)

1. Fluorescein angiography as evaluated by a masked grader;
2. Optical Coherence Tomography (OCT) as evaluated by a masked grader.

Completion date

03/01/2007

Eligibility

Key inclusion criteria

1. Provide written informed consent
2. Be able and willing to follow instructions
3. Age 18 to 50 years old (inclusive)
4. Have area of choroidal neovascularization within 50 μ m or under the geometric center of the foveal avascular zone
5. Have greatest linear dimension of lesion 5,400 μ m or less, with more than or equal to 50% of the lesion composed of CNV (features which obscure the boundaries of the CNV such as blood, serous pigment epithelial detachment or blocked fluorescence must occupy less than 50%) as confirmed by Doheny Image Reading Center
6. Have best corrected distance visual acuity (Early Treatment Diabetic Retinopathy Study [ETDRS] chart) of 20/20 to 20/200 (LogMAR +0.0 to 1.0), inclusive in the qualifying eye(s)
7. Have pathologic myopia presenting 6.0 diopters or more correction required OR an axial length of the eye more than or equal to 26.5 mm
8. Be able and willing to avoid any medication that the Investigator feels may interfere with the study
9. If female and of childbearing potential; agree to submit a sample for pregnancy testing and have a negative pregnancy test within 1 day prior to each treatment. Females are considered of childbearing potential unless they are surgically sterile or post-menopausal for 12 months. Females of childbearing potential must agree to an approved form of contraception for the duration of the study

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Have contraindications, allergies or sensitivity to the use of the study medications
2. Have clinical signs or symptoms, in the opinion of the investigator, that may interfere with the study
3. Features of any condition other than pathologic myopia associated with Choroidal NeoVascularization (CNV), such as Age-related Macular Degeneration (AMD)
4. Have a tear of the retinal pigment epithelium
5. Have undergone ocular therapy/surgery or major surgery in the last three months or have any surgeries planned during the study period
6. Have any significant illness or condition, ocular or systemic that could, in the opinion of the investigator, be expected to interfere with the study
7. Have angina (stable or severe, even if controlled with medications), six months s/p myocardial infarction, Congestive Heart Failure (CHF), history of or presence of any clinical significant

supraventricular or ventricular arrhythmias or syncope episodes

8. Have Electrocardiogram (ECG) with QTc more than 450 msec or other clinically significant abnormalities such as left bundle branch block, left ventricular hypertrophy, etc.

9. Have uncontrolled QTc prolongation

10. Take any drugs(s) known to prolong the QTc interval however subject can remain eligible if a non-QTc substitute can be administered

11. Have uncontrolled hypertension (defined as blood pressure consistently greater than 150 /100 mmHg irrespective of medication)

12. Uncontrolled hypokalemia and/or hypomagnesemia

13. Have symptomatic peripheral vascular disease or cerebrovascular disease

14. Have psychiatric disorders or other conditions rendering subjects incapable of complying with the requirements of the protocol

15. Be receiving concurrent hormonal therapy with exception of GnRH agonists in subjects with hormone refractory prostate cancer, Hormone Replacement Therapy (HRT), oral contraceptive, and megestrol acetate used for anorexia/cachexia

16. Be receiving anticoagulation with warfarin, heparin or low molecular weight heparin other than low dose (1 mg) warfarin for maintenance of Hickman line patency

17. Be a woman who is currently pregnant, nursing, or planning a pregnancy; or woman who has a positive pregnancy test

18. Have participated in an investigational drug or device trial within 30 days of entering the study

Date of first enrolment

11/01/2004

Date of final enrolment

03/01/2007

Locations

Countries of recruitment

Canada

Russian Federation

Taiwan

United States of America

Study participating centre

Vitreoretinal Consultants

Houston

United States of America

77030

Sponsor information

Organisation

Oxigene (USA)

ROR

<https://ror.org/00cj7p033>

Funder(s)**Funder type**

Industry

Funder Name

Oxigene (USA)

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Study website	Study website	11/11/2025	11/11/2025	No	Yes