

Atorvastatin treatment and vaccination efficacy

Submission date 23/01/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 25/01/2006	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 21/09/2007	Condition category Infections and Infestations	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Francois Mach

Contact details
Cardiology Division
Geneva University Hospital
24 Rue Micheli-du-Crest
Geneva
Switzerland
1211
+41 (0)22 382 72 34
francois.mach@medecine.unige.ch

Additional identifiers

Study information

Scientific Title

Study objectives

Statin treatment may modulate, either negatively or positively, antibody responses to vaccination antigens.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The protocol was approved by the Ethics Committee of the Geneva University Hospital (CE-04-029) and written informed consent was obtained from all participants

Study design

Interventional, double-blind, randomised, placebo-controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Hepatitis A

Interventions

Subjects were immunised against hepatitis A and subsequently received atorvastatin (40 mg per day) or placebo for a period of 28 days after immunisation.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Atorvastatin

Primary outcome(s)

The main outcome variable was the achievement of antibody levels greater than 20 IU/l against the hepatitis A virus one month after vaccination.

Key secondary outcome(s)

1. A secondary outcome variable was the mean log-transformed antibody titre
2. To document the effects of atorvastatin on total blood cholesterol, Low Density Lipoprotein Cholesterol (LDL-C), High Density Lipoprotein Cholesterol (HDL-C), triglycerides, and high-sensitivity C-Reactive Protein (hs-CRP)

Completion date

30/06/2005

Eligibility

Key inclusion criteria

Men and women who were greater than 18 years old were eligible for inclusion if they had neither morbidities nor immunity to hepatitis A

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Anti-hepatitis A antibodies greater than 10 IU/l
2. Hypercholesterolemia
3. Hepatitis
4. Myositis
5. Chronic alcohol abuse
6. Pregnant or breast-feeding women
7. Volunteers on drug therapy except oral contraceptives

Date of first enrolment

01/11/2004

Date of final enrolment

30/06/2005

Locations**Countries of recruitment**

Switzerland

Study participating centre

Cardiology Division

Geneva

Switzerland

1211

Sponsor information**Organisation**

Geneva University Hospital (Switzerland)

ROR

<https://ror.org/01m1pv723>

Funder(s)

Funder type

University/education

Funder Name

Geneva University Hospital (Switzerland) - Department of Medicine

Funder Name

University of Geneva Cardiology Foundation (GECOR) (Switzerland) - had no role in the study design, analysis of data or report writing

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration