ISRCTN88965832 https://doi.org/10.1186/ISRCTN88965832

Extracorporeal Shock Wave Therapy (ESWT) in the management of Decubitus ulceration in complex neurological disabilities

Submission date	Recruitment status	[_] Prospectively registered
28/09/2007	No longer recruiting	[_] Protocol
Registration date	**Overall study status**	[_] Statistical analysis plan
28/09/2007	Completed	[X] Results
Last Edited	**Condition category**	[_] Individual participant data
08/04/2010	Skin and Connective Tissue Diseases	

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Keith Andrews

Contact details
Institute of Neuropalliative Rehabilitation
Royal Hospital for Neuro-disability
West Hill
Putney
London
United Kingdom
SW15 3SW
+44 020 8780 4534
kandrews@rhn.org.uk

Additional identifiers

Protocol serial number
N0204185326

Study information

Scientific Title

Study objectives
To assess whether ESWT improve the rate of healing of decubitus ulceration in people with complex neurological disabilities.

Ethics approval required
Old ethics approval format

Ethics approval(s)
Not provided at time of registration

Primary study design
Interventional

Study design
Single blind crossover study

Study type(s)
Treatment

Health condition(s) or problem(s) studied
Skin and Connective Tissue Diseases: Decubitus ulceration

Interventions
The radiographer will be aware of the treatment (ESWT or placebo) and it is likely that the patient may sense some difference between treatments. The Research Nurse carrying out the measurements will be blind to the treatment.
The patient will either receive one dose of Shockwave therapy or placebo each week for four weeks then after two weeks wash out period the other treatment will be delivered, one dose each week for four weeks..

Intervention Type
Other

Phase
Not Specified

Primary outcome(s)
The primary outcome will be the area of pressure sore healed by the end of one month period.

Key secondary outcome(s)
1. Time to heal 50%
2. Time to complete healing
3. Site of ulceration

Completion date
30/09/2007

Eligibility

Key inclusion criteria
All patients in the Royal Hospital for Neuro-disability with decubitus ulceration who do not have exclusion criteria will be included in the study irrespective of age, level of disability or diagnosis. The total number of patients at the Royal Hospital available for the study is expected to be 36.

Participant type(s)
Patient

Healthy volunteers allowed
No

Age group
Not Specified

Sex
Not Specified

Key exclusion criteria
1. Those patients who decline to receive treatment after the treatment has been explained to them
2. Those with bleeding disorders or who are on anticoagulant therapy
3. Decubitus ulceration of the chest wall (theoretical risk of lung damage from ESWT)
4. Decubitus ulceration of elbows and elbow creases (uncommon and difficult to access)
5. Ulceration of the ear (uncommon, difficult to access, risk of damage to brain)
6. Over a tumor site

Date of first enrolment
01/10/2006

Date of final enrolment
30/09/2007

Locations

Countries of recruitment
United Kingdom

England

Study participating centre
Institute of Neuropalliative Rehabilitation
London
United Kingdom
SW15 3SW

Sponsor information

Organisation
Record Provided by the NHSTCT Register - 2007 Update - Department of Health

Funder(s)

Funder type
Government

Funder Name
Royal Hospital for Neuro-disability

Funder Name
NHS R&D Support Funding

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/03/2010		Yes	No