

Effectiveness of the Strengthening Families Program (SFP10-14) for reducing alcohol and drug misuse amongst youth in Poland

Submission date 05/03/2011	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input checked="" type="checkbox"/> Protocol
Registration date 17/03/2011	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 18/01/2019	Condition category Other	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Dr Katarzyna Okulicz-Kozaryn

Contact details
Institute of Psychiatry and Neurology
Sobieskiego 9
Warsaw
Poland
02-957

Additional identifiers

Study information

Scientific Title
Effectiveness of the Strengthening Families Program (SFP10-14) for reducing alcohol and drug misuse amongst youth in Poland: a randomised controlled trial

Study objectives
1. SFP10-14 will reduce alcohol and drug use / misuse amongst young people compared with controls

2. SFP10-14 will reduce behavioural and emotional problems amongst young people compared with controls
3. SFP10-14 will improve parenting compared with controls
4. SFP10-14 will improve parent-child relations compared with control

Ethics approval required

Old ethics approval format

Ethics approval(s)

There is no formal ethics committee requirement for research projects funded by the Polish Bureau for Drug Prevention (the research funders), though there is an expectation in cases that any ethical issues are identified during the scientific peer review process organised by the funding agency.

Study design

Cluster randomised controlled trial

Primary study design

Interventional

Study type(s)

Quality of life

Health condition(s) or problem(s) studied

Public Health

Interventions

The SFP1014 is a video based programme delivered by trained facilitators that includes parents /guardians and children learning together. The 7-week program is delivered over 7-sessions, with four optional booster sessions available several months later.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

1. Alcohol, cigarette and other drugs: age of first use, lifetime prevalence, 30-days (not other drugs) and 12-month prevalence
2. Alcohol use without parent permission
3. Drunkenness / binge drinking in past 30 days

Key secondary outcome(s)

1. General child management
2. Parent child affective quality
3. Aggressive and hostile behaviours in interactions
4. Intervention-targeted parenting behaviour scale
5. Index of aggressive and destructive conduct
6. Family aggressiveness
7. Family togetherness

8. Maternal support
9. Parental monitoring
10. Time spent with mother / father
11. Family rituals
12. Family life questionnaire
13. Truancy
14. School behaviour grades
15. Strengths and difficulties questionnaire

Completion date

31/03/2013

Eligibility

Key inclusion criteria

1. Families with one or more children aged 10-14
2. At least one parent and one child consents to participate

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Child

Lower age limit

10 years

Upper age limit

14 years

Sex

All

Key exclusion criteria

Does not meet inclusion criteria

Date of first enrolment

04/01/2010

Date of final enrolment

31/03/2013

Locations

Countries of recruitment

Poland

Study participating centre
Institute of Psychiatry and Neurology
Warsaw
Poland
02-957

Sponsor information

Organisation
Institute of Psychiatry and Neurology (Poland)

ROR
<https://ror.org/0468k6j36>

Funder(s)

Funder type
Other

Funder Name
Polish Bureau for Drug Prevention (Poland)

Funder Name
Diageo PLC

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/06/2017	18/01/2019	Yes	No
Protocol article	protocol	20/06/2012		Yes	No

