

Research on the comprehensive therapy for impaired glucose tolerance (IGT) by traditional Chinese medicine

Submission date 10/06/2008	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 10/07/2008	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 03/05/2011	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data
		<input type="checkbox"/> Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Xiao-Lin Tong

Contact details
Guang'an Men Hospital
China Academy of Chinese Medical Sciences
No.5 Beixian Ge
Xuan Wu District
Beijing
China
100053

Additional identifiers

Protocol serial number
2006BAI04A04-02

Study information

Scientific Title

Study objectives

Some randomised controlled trials have specifically examined the effects of lifestyle and drug interventions on the prevention of type 2 diabetes. The aim of our randomised controlled trial is to study the effects of traditional Chinese medicine on the prevention of type 2 diabetes, which has not yet been carried out to date.

Hypothesis:

Lifestyle intervention combined with traditional Chinese medicine could reverse IGT to normal, and decrease associated risks of type 2 diabetes and cardiovascular diseases.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Medical Ethics Committee, Guang'an Men Hospital, China Academy of Chinese Medical Sciences. on 28/02/2008

Primary study design

Interventional

Study design

Randomised double-blind placebo-controlled clinical trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Type 2 diabetes/ cardiovascular diseases

Interventions

1. Traditional Chinese medicine Tian-qi Jiang-tang Capsule™, 5 capsules three times a day, combined with lifestyle interventions
2. Placebo combined with lifestyle interventions

Lifestyle interventions: Diabetes experts will give a talk on physical exercise and diet to a group of participants at baseline, lasting about 45 minutes. In addition, the researchers (usually doctors) will give advice to the participants individually at baseline and every 3 months. We will examine the results of the lifestyle interventions every 3 month by questionnaires, and will adjust the individual advice according to the results of the questionnaires.

Total duration of interventions: 3 years

Intervention Type

Other

Phase

Not Specified

Primary outcome(s)

Blood glucose (FPG and 2hPG of OGTT) at baseline, and every 3 months during intervention (3 years) and follow-up (6 months).

Key secondary outcome(s)

Risk of cardiovascular disease, assessed by the following:

1. Blood lipid, assessed at baseline, 6, 12, 18, 24, 30 and 36 months
2. Blood pressure, measured at baseline and then every 3 months during the intervention (3 years) and follow-up (6 months)
3. BMI, measured every 3 months during the intervention (3 years) and follow-up (6 months)
4. Electrocardiogram (ECG), carried out every 6 months during the intervention (3 years)

The following will be assessed in a sub-group of approximately 500 participants:

1. HbA1c, assessed every 6 months during the intervention (3 years)
2. Urinary albumin excretion rate (UAER), assessed at baseline, at 3, 6, 12 and 36 months
3. High-sensitivity C-reactive protein (hs-CRP) baseline, 12 and 36 months
4. Adiponectin, baseline, 12 and 36 months
5. OGTT:
 - 5.1. At baseline (0 hour), assessed at baseline and every 3 month during the intervention (3 years) and follow-up (6 months)
 - 5.2. 0.5 hours, assessed at baseline, 6, 12, 24 and 36 months
 - 5.3. 1 hour, assessed at baseline, 12 and 36 months
 - 5.4. 2 hours, assessed at baseline and then every 3 months during the intervention (3 years) and follow-up (6 months)
6. Insulin level:
 - 6.1. Baseline insulin level, measured at baseline (0 month) and every three months until 12 months, and then 24 and 36 months
 - 6.2. Insulin level at 0.5 hours, measured at baseline (0 month) and every three months until 12 months, and then 24 and 36 months
 - 6.3. Insulin level at 1 hour, measured at baseline (0 month), 12 and 36 months
 - 6.4. Insulin level at 2 hours, measured at baseline, every three months until 12 months, and then 24 and 36 months

Note: We will choose the participants who will likely to be compliant for the sub-group study.

Completion date

31/12/2010

Eligibility

Key inclusion criteria

1. Both males and females
2. $25 \leq \text{age} \leq 70$
3. Intravenous plasma glucose: Fasting plasma glucose (FPG) < 7.0 mmol/L and 2-hour plasma glucose (2hPG) of oral glucose tolerance test (OGTT) < 11.1 mmol/L, ≥ 7.8 mmol/L
4. Deficiency of both qi and yin syndromes accompanied by heat
5. Taking no medicine for treatment of IGT
6. $18.5 \text{ kg/m}^2 < \text{body mass index (BMI)} < 30 \text{ kg/m}^2$
7. Voluntariness, and signed letter of consent
8. Those who do not take part in any other trials within 3 months

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Acute cardiovascular disease and myocardial infarction within 6 months
2. Proliferative retinopathy that needs to be treated by laser
3. Not compliant
4. Mental disease
5. Pregnant or lactating women; women without contraception
6. Allergic to any traditional chinese medicine
7. Co-morbid with other endocrine disease or serious protopathy
8. Systolic blood pressure (SBP) \geq 160 mmHg, diastolic blood pressure (DBP) \geq 100 mmHg and secondary hypertension
9. Cholesterol (CHO) \geq 6.22 mmol/L(240 mg/dl) or low density lipoprotein (LDL) \geq 4.14 mmol/L (160 mg/dl)
10. Patients who are treated by other hypoglycemic drug

Date of first enrolment

01/03/2008

Date of final enrolment

31/12/2010

Locations

Countries of recruitment

China

Study participating centre

Guang'an Men Hospital

Beijing

China

100053

Sponsor information

Organisation

Ministry of Science and Technology of the People's Republic of China (China)

ROR

<https://ror.org/027s68j25>

Funder(s)

Funder type

Government

Funder Name

Ministry of Science and Technology of the People's Republic of China, National Key Technology R&D Programme (China)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Participant information sheet	Participant information sheet	11/11/2025	11/11/2025	No	Yes