

Effects of ivabradine in patients with coronary artery disease and suffering from a reversible contractility dysfunction of the heart muscle

Submission date 09/06/2011	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
		<input type="checkbox"/> Protocol
Registration date 18/10/2011	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
Last Edited 20/04/2020	Condition category Circulatory System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Not provided at time of registration and not expected to be available in the future

Contact information

Type(s)

Scientific

Contact name

Prof Paolo G. Camici

Contact details

San Raffaele University
Institute of Science
Via Olgettina 60
Milan
Italy
20132

Additional identifiers

Clinical Trials Information System (CTIS)

2011-000783-98

Protocol serial number

CL2-16257-095

Study information

Scientific Title

Effects of oral administration of ivabradine (7.5 mg bid) on post-ischaemic stunning induced by exercise stress in patients with coronary artery disease and exercise inducible ischaemia

Study objectives

To assess the effects of ivabradine on post-ischaemic stunning induced by exercise stress in patients with stable coronary artery disease and exercise-inducible ischaemia

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics approval was obtained before recruitment of the first participants

Study design

Exploratory open label study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Coronary artery disease

Interventions

1. Two film-coated tablets of 7.5 mg or 5 mg of ivabradine
2. Control: placebo bid

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Ivabradine

Primary outcome(s)

1. Myocardial stunning, by evaluating changes in regional wall motion measuring 2D Strain /Strain rate
2. Measured at selection visit, inclusion visit and end of treatment visit

Key secondary outcome(s)

1. Arterial elastance, measured at selection visit, inclusion visit and end of treatment visit
2. Ventricular arterial coupling, measured at selection visit, inclusion visit and end of treatment visit
3. Safety, measured at each visit

Completion date

30/09/2012

Eligibility

Key inclusion criteria

1. Aged 30 to 75 years
2. Male or female
3. Evidence of coronary artery disease proven by clinical history
4. Sinus rhythm and resting heart rate equal or higher than 70 bpm
5. Exercise-inducible myocardial ischaemia
6. Myocardial stunning, assessed by cardiac echocardiography

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Total final enrolment

15

Key exclusion criteria

1. Angina at rest or angina class IV
2. Unstable cardiovascular condition
3. Previous treatment with anti-anginal medication within 1 week before inclusion
4. Significant abnormalities in the laboratory blood evaluation
5. Contra-indication to the administration of ivabradine

Date of first enrolment

01/09/2011

Date of final enrolment

30/09/2012

Locations

Countries of recruitment

Italy

Study participating centre

San Raffaele University

Milan

Italy

20132

Sponsor information

Organisation

Institut de Recherches Internationales Servier (France)

ROR

<https://ror.org/034e7c066>

Funder(s)

Funder type

Industry

Funder Name

Institut de Recherches Internationales Servier (France)

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from <https://clinicaltrials.servier.com> if a Marketing Authorisation has been granted after 1st January 2014.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results				No	No
Basic results			20/04/2020	No	No