

Religious leaders and diabetes prevention in Bangladesh

Submission date 24/04/2022	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 08/05/2022	Overall study status Completed	<input checked="" type="checkbox"/> Protocol
Last Edited 21/10/2025	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

Type 2 diabetes is a common condition that causes the level of sugar (glucose) in the blood to become too high.

Type 2 diabetes (T2DM) and related non-communicable diseases (NCDs) are common among the adult population in Bangladesh, which can be prevented through lifestyle modification. Evidence shows that culturally sensitive and behaviorally oriented faith-based intervention by religious leaders affects the prevention of T2DM and related NCDs.

Aim: To assess the outcome of faith-based intervention for the prevention of T2DM in high-risk subjects in Bangladesh.

Who can participate?

All individuals aged 25 years or older with diabetes risk score 9 or above and diagnosed with prediabetes (IFG/IGT) as per WHO recommended diagnostic value, permanent residents and willing to participate and available for 12 months of study.

What does the study involve?

Over the course of 12 months, this study will involve counseling, biophysical measurement, and laboratory investigations related to the study outcomes. In the intervention group, participants will visit twelve times (one each month) for counseling with religious leaders. They will discuss healthy lifestyles based on the religious sermon (khutbah) that benefits T2DM prevention. In addition, they will have three appointments (at the time of registration, 4 months, and 12 months) for structured healthy lifestyle education (including diet and physical activity) effective for T2DM prevention, biophysical measurement, and laboratory investigations with researchers from the Centre for Global Health Research of the Diabetic Association of Bangladesh. They will complete a questionnaire on changes in major nutritional and exercise habits and also the changes in Knowledge, Attitude, and Practice (KAP). All these appointments will be face-to-face. The subjects in the control group will be informed about a healthy lifestyle based on the religious sermon (khutbah). After the inclusion and collection of baseline data, they will visit the study site at 4 months and 12 months for the collection of anthropometric, clinical, and laboratory investigations. They will also complete a questionnaire on changes in major nutritional and exercise habits and also the changes in KAP.

What are the possible benefits and risks of participating?

This proposed study will fill up the gap in our existing knowledge by testing the effectiveness of faith-based intervention by religious leaders for the prevention of T2DM and related NCDs. No risk will be involved in this study.

Where is the study run from?

Centre for Global Health Research, Diabetic Association of Bangladesh

When is the study starting and how long is it expected to run for?

April 2022 to April 2023

Who is funding the study?

Non-Communicable Disease Control Program of Directorate General of Health Services, Ministry of Health and Family Welfare, Government of the People's Republic of Bangladesh.

Who is the main contact?

Dr Bishwajit Bhowmik, doctorbiplot@gmail.com

Contact information

Type(s)

Scientific

Contact name

Dr Bishwajit Bhowmik

ORCID ID

<https://orcid.org/0000-0003-1114-5873>

Contact details

122, Kazi Nazrul Islam Avenue Shahbag

Dhaka

Bangladesh

1000

+880 1819287912

doctorbiplot@gmail.com

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Protocol serial number

BADAS-ERC/EC 122100330

Study information

Scientific Title

Prevention of diabetes and related NCDs through religious leaders

Acronym

DPRL

Study objectives

Faith-based intervention by religious leaders can affect the prevention of T2DM and related NCD risk factors.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Approved 19/04/2022, The Ethical Review Committee (ERC) of the Diabetic Association of Bangladesh (BADAS, 122 Kazi Nazrul Islam Avenue, Shahbag, Dhaka-1000, Bangladesh; +880-2-9661551; ERC@dab-bd.org), ref: BADAS-ERC/EC 122100330

Study design

Multicenter Interventional randomized controlled trial

Primary study design

Interventional

Study type(s)

Prevention

Health condition(s) or problem(s) studied

Prevention of diabetes

Interventions

Participants will be allocated at random in a 1:1 ratio.

Intervention arm: provide healthy lifestyle information through religious sermon (khutbah) plus person-specific dietary and physical activity advice;

Control arm: only provide healthy lifestyle information through religious sermon (khutbah)

Follow up is for 12 months

Intervention Type

Behavioural

Primary outcome(s)

Rate of conversion from prediabetes to T2DM using blood glucose (both fasting and 2 hours after 75-gram blood glucose drink) among the study population at 4 months and 12 months

Key secondary outcome(s)

1. Rate of T2DM between intervention and control group using blood glucose at 4 months and 12 months
2. Rate of cardiometabolic parameters including obesity (general and abdominal) by measuring anthropometric parameters, HTN by measuring blood pressure, and dyslipidemia by measuring fasting lipid profile between intervention and control group at 4 months and 12 months
3. Changes in physical activity, and dietary habits between intervention and control group using face-to-face interview (control group) and both face to face interview and guidebook at 4 months and 12 months
4. Level of changes in knowledge, attitude, and practice about T2DM and related

cardiometabolic parameters among the study participants using the questionnaire at 4 months and 12 months

Completion date

06/04/2023

Eligibility

Key inclusion criteria

1. All individuals aged ≥ 25 years with diabetes risk score ≥ 9 and diagnosed with prediabetes (IFG /IGT) as per WHO recommended diagnostic value.
2. Both genders
3. Permanent residents
4. Willing to participate and available for 12 months of study

Participant type(s)

Healthy volunteer

Healthy volunteers allowed

No

Age group

Adult

Sex

All

Key exclusion criteria

1. Pregnant women or planned pregnancy and lactating mothers
2. Known case of T2DM
3. Individuals diagnosed with acute physical or mental illness at the time of screening

Date of first enrolment

07/05/2022

Date of final enrolment

07/06/2022

Locations

Countries of recruitment

Bangladesh

Study participating centre

Centre for Global Health Research, Diabetic Association of Bangladesh
122, Kazi Nazrul Islam Avenue Shahbag

Dhaka
Bangladesh
1000

Sponsor information

Organisation

Ministry of Health and Family Welfare

ROR

<https://ror.org/05256fm24>

Funder(s)

Funder type

Government

Funder Name

Ministry of Health and Family Welfare, Bangladesh

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are available from the corresponding author on reasonable request
doctorbiplob@gmail.com

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article		01/10/2025	21/10/2025	Yes	No
Other files			04/05/2022	No	No
Other files			04/05/2022	No	Yes
Participant information sheet			04/05/2022	No	Yes
Protocol file		12/04/2022	04/05/2022	No	No