

Effect of oral lactulose on clinical and immunohistochemical parameters in patients with inflammatory bowel disease: a prospective, randomised and controlled pilot study

Submission date 16/11/2006	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
Registration date 13/12/2006	Overall study status Completed	<input type="checkbox"/> Statistical analysis plan <input checked="" type="checkbox"/> Results
Last Edited 24/09/2009	Condition category Digestive System	<input type="checkbox"/> Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Stephan C Bischoff

Contact details
University of Hohenheim
Department of Nutritional Medicine
Fruwirthstrasse 12
Stuttgart
Germany
70599

Additional identifiers

Study information

Scientific Title

Acronym

Lactulose

Study objectives

Inflammatory bowel diseases (IBD), commonly referred to as Crohns Disease (CD) and Ulcerative Colitis (UC) are recurrent aggressive inflammatory conditions of multifactorial etiology, which to date are not well understood. Interactions of genetic background, disturbance of the mucosal barrier, dysregulation of intestinal immune responses as well as bacterial and other environmental factors were found to play a role in the development of IBD.

Aims of trial:

Positive clinical and histological efficacy of lactulose in patients with IBD.

Ethics approval required

Old ethics approval format

Ethics approval(s)

The study was approved by the Ethical Committee of the Hannover Medical School, dated 7th February 2000 (ref: No 2229). All procedures were in accordance with the Declaration of Helsinki.

Study design

Prospective, randomised and controlled pilot study

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Inflammatory Bowel Disease (IBD), Crohns Disease (CD), Ulcerative Colitis (UC)

Interventions

The aim of the present study was to investigate clinical effects of the prebiotic "lactulose" in IBD patients.

Intervention Type

Drug

Phase

Not Specified

Drug/device/biological/vaccine name(s)

Oral lactulose

Primary outcome(s)

Improvement of clinical activity

Key secondary outcome(s)

1. Quality of life
2. Medication
3. Endoscopic score
4. Laboratory parameters:
 - a. Haemoglobin (Hb) values
 - b. Haematocrit values
 - c. Orsomucoid (Ors)
 - d. Albumin (Alb)
 - e. Immunoglobulins G, A and M (IgG, IgA and IgM respectively)
 - f. Alpha-1-antitrypsin
 - g. pH in faeces

Completion date

01/07/2003

Eligibility

Key inclusion criteria

To be included in the trial, patients had to present IBD. The majority of patients enrolled in this study were hospitalised because of symptoms of active disease and in most of them the clinical activity was confirmed by elevated Clinical Activity Index (CAI) scores in UC or elevated Crohns Disease Activity Index (CDAI) scores. The diagnosis of IBD was confirmed by classical clinical and endoscopic means according to the German and Austrian guidelines for UC and CD.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Not Specified

Sex

All

Key exclusion criteria

1. Surgery during study period
2. Other diseases than IBD

Date of first enrolment

01/08/2000

Date of final enrolment

01/07/2003

Locations

Countries of recruitment

Germany

Study participating centre
University of Hohenheim
Stuttgart
Germany
70599

Sponsor information

Organisation
Solvay Pharmaceuticals GmbH (Germany)

ROR
<https://ror.org/01xscrc43>

Funder(s)

Funder type
Industry

Funder Name
Funding was supplied by Solvay Pharmaceuticals GmbH, which covered expenses for drugs and equipment (Germany)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary
Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	04/09/2007		Yes	No