

# The effects of facial electrical stimulation on visual perception

<b>Submission date</b> 10/08/2023	<b>Recruitment status</b> No longer recruiting	<input type="checkbox"/> Prospectively registered <input type="checkbox"/> Protocol
<b>Registration date</b> 15/08/2023	<b>Overall study status</b> Completed	<input type="checkbox"/> Statistical analysis plan <input type="checkbox"/> Results
<b>Last Edited</b> 14/08/2023	<b>Condition category</b> Other	<input type="checkbox"/> Individual participant data <input type="checkbox"/> Record updated in last year

## Plain English summary of protocol

Background and study aims

The research explores a technique called non-invasive transcranial alternating current stimulation (NITACS), which uses weak electrical currents applied to the face or scalp to influence brain activity. A key focus is understanding how this method can make people see light patterns, called phosphenes, without any actual light entering their eyes.

Who can participate?

Healthy volunteers aged 22-60 years

What does the study involve?

During the study, participants sit in a dimly lit room, electrodes are placed around their eyes, and weak currents are applied. They then report any light patterns they perceive.

What are the possible benefits and risks of participating?

Participating might offer insights into how the brain processes visual information and could pave the way for future visual aid technologies. However, there's a slight chance of discomfort from the electrical currents.

Where is the study run from?

Toronto Metropolitan University (formerly Ryerson University) (Canada)

When is the study starting and how long is it expected to run for?

September 2018 to September 2020

Who is funding the study?

Natural Sciences and Engineering Research Council of Canada

Who is the main contact?

Prof. Alexandre Douplik, [douplik@torontomu.ca](mailto:douplik@torontomu.ca)

## Contact information

**Type(s)**

Principal investigator

**Contact name**

Prof Alexandre Douplik

**ORCID ID**

<https://orcid.org/0000-0001-9948-9472>

**Contact details**

350 Victoria St  
Toronto  
Canada  
M5B 2K3  
+1 (0)6479237081  
douplik@torontomu.ca

**Additional identifiers****Clinical Trials Information System (CTIS)**

Nil known

**Protocol serial number**

Nil known

**Study information****Scientific Title**

Spatial resolution of phosphenes within the visual field using non-invasive transcranial alternating current stimulation

**Acronym**

NITACS

**Study objectives**

The study's hypothesis suggests the possibility of generating spatially encoded phosphenes via electrical stimulation of the facial skin. Phosphenes are visual experiences that are not caused by light entering the eye.

**Ethics approval required**

Ethics approval required

**Ethics approval(s)**

approved 24/10/2019, Toronto Metropolitan University (Formerly Ryerson) (350 Victoria St, Toronto, M5B 2K3, Canada; +1 (0)416 979 5000 ext. 552491; rebchair@torontomu.ca), ref: 2019-324

**Study design**

Single-centre interventional experiment without allocation or masking

## Primary study design

Interventional

## Study type(s)

Efficacy

## Health condition(s) or problem(s) studied

Mapping and perception of phosphenes in healthy human volunteers using EEG electrode stimulation

## Interventions

The device is a custom-made cutaneous superficial stimulator that administers charge-neutral current waveforms across multiple electrode combinations. "Phosphotron" was the name coined by Steven Beck in 1979, referring to a device that stimulates phosphenes. This name is the closest thing that describes the device used in this study.

In the proposed interventional study, healthy volunteers are equipped with an electrode dressing consisting of eight EEG gold cup electrodes placed around the orbital sockets. Participants undergo a procedure to determine their phosphene stimulation threshold by gradually increasing the stimulation current intensity until a phosphene is perceived, ensuring the intensity remains below 500  $\mu$ A for safety. Following this, stimulation sites, named stimulation and control channels, are activated in a pseudo-randomized sequence. During each stimulation event, only two electrodes are active, and participants are instructed to sketch the perceived phosphene shape on a smartboard. The control channel involves no stimulation waveform across any electrode. The sketches are subsequently processed and analyzed to spatially resolve phosphenes in the visual field.

## Intervention Type

Device

## Phase

Not Applicable

## Drug/device/biological/vaccine name(s)

Phosphotron

## Primary outcome(s)

Phosphene perception and spatial localization are measured using Receiver Operating Characteristics (ROC) analysis of drawings on a smartboard, post-stimulation for each of the 64 stimulation events.

## Key secondary outcome(s)

1. Stimulation threshold for phosphene perception measured using gradual current intensity increase until phosphene detection, determined at the beginning of each participant's session. Thus, finding optimal stimulation settings.
2. Phosphene stimulation efficacy for each channel measured using the percentage of channel-specific trials where phosphene perception was reported, assessed post-stimulation for each of the 64 stimulation events.
3. Spatial orientation of the overall phosphene distribution measured using a complete summation of all phosphene drawings, assessed post-stimulation for each of the 64 stimulation events.

4. Safety and comfort of participants measured by monitoring for signs of discomfort or adverse effects, continuously observed throughout each participant's session.

**Completion date**

01/09/2020

## **Eligibility**

**Key inclusion criteria**

1. Healthy individuals: participants should not have any known neurological disorders or visual impairments
2. Age range: participants should be within the age range of 22-60 years
3. Consent: all participants must provide informed consent before participating in the study
4. No prior experience: participants should not have prior experience with non-invasive transcranial alternating current stimulation (NITACS) to ensure unbiased reporting of phosphenes
5. Ability to follow instructions: participants should be able to sit still, focus on a central point, and report their experiences accurately during the stimulation sessions
6. No known allergies or sensitivities: participants should not have allergies or sensitivities to any of the materials used, such as the Ten20 electrode paste or the gauze pad
7. History: no past history of recreational/prescription drug use (specifically hallucinogens, stimulants, anti-psychotics, anti-anxiety, SSRIs, cannabinoids, and tranquilizers), panic attacks, migraines, and agoraphobia

**Participant type(s)**

Healthy volunteer

**Healthy volunteers allowed**

No

**Age group**

Adult

**Lower age limit**

22 years

**Upper age limit**

60 years

**Sex**

All

**Total final enrolment**

8

**Key exclusion criteria**

Does not meet the inclusion criteria

**Date of first enrolment**

24/10/2019

**Date of final enrolment**

24/12/2019

## Locations

**Countries of recruitment**

Canada

**Study participating centre**

**Toronto Metropolitan University (formerly Ryerson University)**

350 Victoria St

Toronto

Canada

M5B 2K3

## Sponsor information

**Organisation**

Toronto Metropolitan University

**ROR**

<https://ror.org/05g13zd79>

## Funder(s)

**Funder type**

Research council

**Funder Name**

Natural Sciences and Engineering Research Council of Canada

**Alternative Name(s)**

Conseil de Recherches en Sciences Naturelles et en Génie du Canada, The Natural Sciences and Engineering Research Council of Canada, nserc\_crnsng, NSERC, CRSNG

**Funding Body Type**

Government organisation

**Funding Body Subtype**

National government

## Location

Canada

# Results and Publications

## Individual participant data (IPD) sharing plan

The gathered drawings will be thoroughly de-identified and anonymized, removing any information that could identify the source participant. These illustrations will be saved in JPG format and kept on a secure local drive. Researchers interested in accessing the data can reach out to the lab supervisor (email mentioned in the bespoke publications). Once requested, the de-identified data will be sent via email to the requester.

douplik@torontomu.ca

## IPD sharing plan summary

Available on request

## Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
<a href="#">Participant information sheet</a>			14/08/2023	No	Yes