

Platelet rich plasma in Accelerated Tendo-achilles Healing

Submission date 10/11/2009	Recruitment status No longer recruiting	☐ Prospectively registered
Registration date 18/01/2010	Overall study status Completed	☐ Protocol
Last Edited 18/01/2010	Condition category Injury, Occupational Diseases, Poisoning	☐ Statistical analysis plan
		☐ Results
		☐ Individual participant data
		☐ Record updated in last year

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr Joseph Alsousou

Contact details
Nuffield Department of Orthopaedic Rheumatology and Musculoskeletal Science
University of Oxford
Kadoorie Trauma Research Unit
The John Radcliffe Hospital
Headley Way
Headington
Oxford
United Kingdom
OX3 9DU
+44 (0)1865 851021
josephalsousou@doctors.org.uk

Additional identifiers

Protocol serial number
PATH v2.0

Study information

Scientific Title

PATH: a prospective, randomised, controlled trial to investigate the clinical efficacy of platelet rich plasma in accelerating acute achilles tendon rupture healing and comparing it to traditional cast immobilisation treatment or operative treatment

Acronym

PATH

Study objectives

Null hypothesis: Platelet rich plasma or concentrates do not accelerate the rate of acute achilles tendon rupture healing and do not reduce the risk of re-rupture following non-operative or operative treatment.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Oxfordshire Ethics Committee B approved on the 21st July 2009 (ref: 09/H0605/78)

Primary study design

Interventional

Study design

Parallel double arm double blinded individually randomised controlled efficacy trial

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Acute achilles tendon rupture

Interventions

Patients will follow a conservative or operative pathway according to the established protocol, which is determined depending on the tendo-achilles (TA) rupture gap size measured by ultrasound scan (USS). Patients in each arm of the trial will be randomised into one of two groups using sequentially numbered opaque envelopes or computer generated randomisation:

Conservative treatment arm (rupture gap less than 5 mm):

1. Standard cast immobilisation group
2. Platelet rich plasma (PRP) and standard cast immobilisation group

Operative treatment arm (rupture gap greater than 5 mm):

3. Standard surgical repair group
4. Platelet rich plasma (PRP) and standard surgical repair group

PRP is applied once only and total follow-up time is 1 year. Patients in all groups will be asked to complete Achilles Tendon Rupture Score (ATRS) questionnaire and other outcome measures questionnaire in the follow up outpatient clinic. The change in the ATRS is the clinical outcome measures. In addition, Functional UltraSound Elastography Scan will be performed to determine the stiffness of the healing tendon in all groups at each visit. Objective assessment of the range of motion (ROM), maximum tip toeing and muscle strength will be measured at 3 and 6 months.

Intervention Type

Drug

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

Platelet rich plasma

Primary outcome(s)

Achilles tendon Total Rupture Score (ATRS), measured at 1, 3, 6, 8, 12 weeks

Key secondary outcome(s)

1. Functional ultrasound elastography scan, measured at 3 and 6 months
2. Foot and Ankle Outcome Score (FAOS), measured at 1, 3, 6, 8, 12 weeks
3. Victorian Institute of Sport Assessment-Achilles questionnaire (VISA-A), measured at 1, 3, 6, 8, 12 weeks
4. Range of movement, measured at 3 and 6 months
5. Maximum tip-toeing, measured at 3 and 6 months
6. 36-item short form health survey (SF-36), measured at 3 and 6 months
7. Re-rupture rate, measured at 3 and 6 months

Completion date

01/11/2012

Eligibility**Key inclusion criteria**

1. Participant is willing and able to give informed consent for participation in the study
2. Male or female, aged 18 - 55 years
3. Diagnosed with acute achilles tendon rupture
4. Presenting within 72 hours post-injury, due to sport activity or low energy hyper-dorsal flexion of the foot
5. Able (in the Investigators opinion) and willing to comply with all study requirements
6. Willing to allow his or her General Practitioner and consultant, if appropriate, to be notified of participation in the study

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Previous tendon injury
2. History of diabetes mellitus (DM)
3. Platelet abnormality or platelets count less than $100 \times 10^9 /l$
4. Haematological disorder
5. Serum haemoglobin less than 11 g/dl
6. Use of systemic cortisone
7. Use of any anticoagulant
8. Evidence of gangrene/ulcers or peripheral vascular disease
9. History of hepatic or renal impairment or dialysis
10. Patient is known to have a psychological, developmental, physical, emotional or social disorder that may interfere with compliance with study requirements
11. History of alcohol or drug abuse
12. Patient has a religious or cultural conflict with the use of platelet gel treatment or blood products
13. Patient has inadequate venous access for blood draw
14. Patient is currently receiving or has received radiation or chemotherapy within the last 3 months prior to the study
15. Patient has evidence of Charcot foot/ankle joint
16. Female participants who are pregnant, lactating or planning pregnancy during the course of the study
17. Any other significant disease or disorder which, in the opinion of the Investigator, may either put the participants at risk because of participation in the study, or may influence the result of the study, or the participant's ability to participate in the study

Date of first enrolment

01/11/2009

Date of final enrolment

01/11/2012

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Nuffield Department of Orthopaedic Rheumatology and Musculoskeletal Science
Oxford
United Kingdom
OX3 9DU

Sponsor information

Organisation

University of Oxford (UK)

ROR

<https://ror.org/052gg0110>

Funder(s)**Funder type**

Government

Funder Name

National Institute for Health Research (NIHR) (UK) - Oxford Biomedical Research Centre (OxBRC)

Results and Publications**Individual participant data (IPD) sharing plan****IPD sharing plan summary**

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Other publications	literature review performed as part of the study at	01/08/2009		Yes	No