

Achilles Tendinopathy Management: platelet-rich plasma versus eccentric loading programme

| | | |
|--|---|--|
| Submission date 22/12/2009 | Recruitment status No longer recruiting | <input type="checkbox"/> Prospectively registered |
| Registration date 18/02/2010 | Overall study status Completed | <input type="checkbox"/> Protocol |
| Last Edited 05/08/2014 | Condition category Musculoskeletal Diseases | <input type="checkbox"/> Statistical analysis plan |
| | | <input checked="" type="checkbox"/> Results |
| | | <input type="checkbox"/> Individual participant data |

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Mr Matthew Costa

Contact details
Warwick Medical School
Clinical Sciences Research Institute
Clifford Bridge Road
Coventry
United Kingdom
CV2 2DX
matthew.costa@warwick.ac.uk

Additional identifiers

Protocol serial number
PRF/09/2

Study information

Scientific Title
Achilles Tendinopathy Management: a randomised controlled trial comparing platelet-rich plasma with an eccentric loading programme

Acronym

ATM

Study objectives

There is no difference in Victorian Institute of Sports Assessment - Achilles (VISA-A) scores at 6 months between patients initially managed with platelet-rich plasma injections compared to patients managed with an eccentric loading programme.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Coventry Research Ethics Committee, 20/03/2009, ref: 09/H1210/18

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Treatment

Health condition(s) or problem(s) studied

Achilles tendinopathy

Interventions

Intervention:

Platelet Rich Plasma Injection. The procedure will involve taking 52 ml of whole blood combined with 8 ml of an anti-coagulant which will be immediately centrifuged at 2400 for 12 minutes. After centrifugation the platelet layer (approximately 3 - 5 ml) will be extracted using a syringe and then injected into the Achilles tendinopathy.

Comparison:

Eccentric Loading Programme, involving two exercises. The first involves the patient being in a standing position with the heel over the edge of a step with the legs straight. The patient then slowly lowers their heels beyond the level of the step. The second exercise follows the same sequence but with the knee slightly bent, to maximise activation of the soleus muscles. These exercises are performed three times a day, 7 days a week for 12 weeks and are progressed as pain allows by adding weight via a back pack.

Secondary Sponsor Details:

University Hospitals of Coventry and Warwickshire NHS Trust
Research and Development Department
Clifford Bridge Road
Coventry CV4 8UW
United Kingdom

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

VISA-A at 6, 12, 24, 30, 36 and 52 weeks

Key secondary outcome(s)

EQ-5D and complications at 6, 12, 24, 30, 36 and 52 weeks

Completion date

01/02/2012

Eligibility

Key inclusion criteria

1. Midsubstance achilles tendinopathy diagnosed clinically through pain on palpation at a level of 2 - 6 cm above the tendon insertion and ultrasonography
2. The tendinopathy will be causing pain during loading activities and limit those activities
3. Duration of at least 3 months
4. Aged over 18 years, either sex

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Key exclusion criteria

1. Tendinopathies secondary to systemic conditions such as rheumatoid arthritis and diabetes
2. Insertional Achilles tendinopathies
3. Pregnancy
4. Previous Achilles rupture or surgery
5. Dislocation or fracture of the lower limb within the preceding 12 months

Date of first enrolment

01/02/2010

Date of final enrolment

01/02/2012

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Warwick Medical School

Coventry

United Kingdom

CV2 2DX

Sponsor information

Organisation

University of Warwick (UK)

ROR

<https://ror.org/01a77tt86>

Funder(s)

Funder type

Research organisation

Funder Name

Physiotherapy Research Foundation (UK) (ref: PRF/09/2)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

| Output type | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|---------------------------------|---------|--------------|------------|----------------|-----------------|
| Results article | results | 17/10/2013 | | Yes | No |