

Preventing new infections while patients are sick in hospital with omega-3 fatty acids

| | | |
|--|--|---|
| Submission date 05/12/2024 | Recruitment status Recruiting | <input checked="" type="checkbox"/> Prospectively registered |
| | | <input checked="" type="checkbox"/> Protocol |
| Registration date 11/03/2025 | Overall study status Ongoing | <input type="checkbox"/> Statistical analysis plan |
| | | <input type="checkbox"/> Results |
| Last Edited 20/11/2025 | Condition category Infections and Infestations | <input type="checkbox"/> Individual participant data |
| | | <input checked="" type="checkbox"/> Record updated in last year |

Plain English summary of protocol

Background and study aims

Patients admitted to the critical care unit often end up having new infections while they are in hospital, which can be very serious. Omega-3 fatty acids, which are fish oil extracts, may be helpful in reducing the number of people that have new infections and possibly, reduce the length of hospital stay. However, we need to find the correct dose that can be given to these patients. This study will help us establish a dose that can be given to similar patients in future and build a case for future studies.

Who can participate?

Patients aged 18 years and over admitted to the Intensive Care Unit

What does the study involve?

Participants will be randomly allocated to receive either omega-3 fatty acids for 10 days, or standard care (no extra treatments).

What are the possible benefits and risks of participating?

We are not expecting any serious side effects to occur during this study. Omegaven has fish oil, is a licensed drug in the EU, and has been used safely in other groups, including healthy people, people with liver problems and children. Some patients have experienced vomiting or had a rash. We cannot promise that there will be benefits, but we are trying to understand if giving patients Omegaven prevents them from getting serious infections while in hospital.

Where is the study run from?

The Royal London Hospital (UK)

When is the study starting and how long is it expected to run for?

January 2022 to December 2026

Who is funding the study?

Fresenius Kabi (Germany)

Who is the main contact?

Prof. Zudin Puthucheary, z.puthucheary@qmul.ac.uk

Contact information

Type(s)

Public, Scientific, Principal investigator

Contact name

Prof Zudin Puthucheary

Contact details

Adult Critical Care Unit

Royal London Hospital

Whitechapel

London

United Kingdom

E1 1BB

+44 (0)20 35940351

z.puthucheary@qmul.ac.uk

Additional identifiers

Clinical Trials Information System (CTIS)

Nil known

Integrated Research Application System (IRAS)

1008285

Protocol serial number

158743 Sponsor EDGE reference, CPMS 59166

Study information

Scientific Title

Hospital-acquired Infection Prevention with Parenteral Omegaven (HIPPO)

Acronym

HIPPO

Study objectives

Hospital-acquired infections (HAI) are new infections that are typically not present at admission and manifest 48 hours after hospital admission. Several studies have highlighted the potentially beneficial effects of using omega-3 FAs (fish oil) in critically ill patients to lower inflammation and suggest a significant reduction in nosocomial (hospital-acquired) infections may occur in patients receiving total parenteral (outside of the digestive tract) nutrition prepared with a lipid emulsion. However, the acceptable dose that needs to be administered and is tolerated by patients needs to be determined. This will be clarified in a dose-escalation randomised

controlled trial. The inclusion of a control (standard care) group will provide information on the expected baseline levels of the outcomes.

Ethics approval required

Ethics approval required

Ethics approval(s)

approved 19/02/2025, London - Fulham Research Ethics Committee (2 Redman Place, Stratford, London, E20 1JQ, United Kingdom; -; fulham.rec@hra.nhs.uk), ref: 24/LO/0914

Study design

Single-centre randomized controlled dose-escalation trial

Primary study design

Interventional

Study type(s)

Efficacy, Safety, Treatment

Health condition(s) or problem(s) studied

Prevention of hospital-acquired infection in adult, critically ill patients

Interventions

Following consent, the intervention will start within 48 hours of critical care admission and continue for 10 days or until hospital discharge, whichever is sooner. Randomisation will be performed using an electronic randomisation system embedded within the online trial database.

Intervention arm:

Participants will be randomised sequentially in three dosing phases (0.2, 0.4, 0.6 g/kg/d Omegaven) according to the Bayesian Optimal Interval dose-escalation plan. Omegaven will be provided based on bodyweight in kg, except in cases of morbidly obese patients (actual bodyweight >200% of the ideal bodyweight).

Patients will receive intravenous Omegaven, administered daily (at any time within a 24-hour period) until day 10 or hospital discharge, whichever is sooner. Omegaven will be administered centrally if available and if this is not possible it will be given peripherally.

Standard care arm:

Patients in the standard care group will be managed by clinical staff according to local policy and guidelines until hospital discharge. No additional interventions will occur.

Intervention Type

Drug

Phase

Phase II

Drug/device/biological/vaccine name(s)

Omegaven

Primary outcome(s)

The maximum tolerable dose (MTD) of Omegaven, calculated after the completion of the dose escalation based on the dose-limiting toxicity, which is in turn based on a review of adverse events attributable to the IMP

Key secondary outcome(s)

There are no secondary outcome measures

Completion date

15/12/2026

Eligibility

Key inclusion criteria

1. Patients aged 18 years and over
2. Patients requiring intubation and ventilation OR requiring two or more other organ systems support (Sequential Organ Failure Assessment [SOFA] score ≥ 2 in >2 domains) without requiring intubation and ventilation
3. Patients predicted to remain in the critical care unit for at least 72 hours as determined by the Intensive Care Consultant with clinical responsibility for patient care

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Mixed

Lower age limit

18 years

Upper age limit

110 years

Sex

All

Total final enrolment

0

Key exclusion criteria

1. Patients requiring total parenteral nutrition at time of enrolment
2. Palliative care admission for end-of-life care or withdrawal of active therapy as determined by the Intensive Care Consultant with clinical responsibility for patient care
3. Neutropaenia ($< 1 \times 10^9/l$) on admission to the Adult Critical Care Unit
4. Lymphopenia ($< 0.25 \times 10^9/l$) on admission to the Adult Critical Care Unit
5. Primary immune deficiency
6. Bone marrow transplant recipient
7. All immunosuppressive drug therapy (with the exception of corticosteroid use for acute

illnesses in the preceding 5 days)

8. Recorded or reported allergy to fish, or egg protein or to any of the active ingredients or excipients

9. Known inborn errors of lipid metabolism

10. Recorded or reported severe hyperlipidaemia or severe disorders of lipid metabolism (electronic health record documentation \pm clinical concern and if available with serum triglycerides >400 mg/dl on admission to the Adult Critical Care Unit)

11. Enrolment in any other study with an IMP or a study that may have a similar primary outcome

12. Therapeutic anti-coagulation therapy

13. Pregnancy

Date of first enrolment

17/11/2025

Date of final enrolment

01/05/2026

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

Barts Health NHS Trust

The Royal London Hospital

80 Newark Street

London

England

E1 2ES

Sponsor information

Organisation

Queen Mary University of London

ROR

<https://ror.org/026zzn846>

Funder(s)

Funder type

Industry

Funder Name

Fresenius Kabi

Alternative Name(s)

Fresenius Kabi AG, Fresenius Kabi Deutschland GmbH

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

Germany

Results and Publications

Individual participant data (IPD) sharing plan**IPD sharing plan summary**

Data sharing statement to be made available at a later date

Study outputs

| Output type | Details | Date created | Date added | Peer reviewed? | Patient-facing? |
|-------------------------------|-------------|--------------|------------|----------------|-----------------|
| Protocol file | version 3.0 | 14/02/2025 | 20/11/2025 | No | No |