

The effect of feeding weaning foods that contain moringa leaf powder on growth and haemoglobin levels of Ghanaian infants aged 8-12 months

Submission date 23/04/2015	Recruitment status No longer recruiting	<input type="checkbox"/> Prospectively registered
Registration date 12/05/2015	Overall study status Completed	<input type="checkbox"/> Protocol
Last Edited 14/06/2023	Condition category Nutritional, Metabolic, Endocrine	<input type="checkbox"/> Statistical analysis plan
		<input checked="" type="checkbox"/> Results
		<input type="checkbox"/> Individual participant data

Plain English summary of protocol

Background and study aims

When infants aged 6-24 months from low-income countries start eating a wide range of foods in addition to breast milk (weaning), they often develop a number of nutritional and health problems. This is because the food they are eating is low in essential nutrients, which may result in poor growth and development, and an increase in common childhood illnesses such as diarrhoea. The typical diet for weaning in such countries is made up of starchy foods, such as a cereal (maize, rice) or tuber vegetables (cassava, yams). There are limited amounts of fruits, vegetables, legumes, and pulses available and very little meat or dairy foods. Moringa oleifera, an edible tree commonly found in dry tropical regions, has been shown to be a valuable source of nutrients, including protein, calcium, iron, vitamin C, and vitamin A. The moringa leaf can be made into a powder to be combined with flour or used as 'sprinkles' to mix with other food. As a result, it is used more and more as a food supplement in developing countries where poor nutrition is a major concern. The aim of this study is to see whether moringa leaf powder affects growth and weight gain in weaning infants from Asesewa, Ghana, an area with very high rates of infant malnutrition.

Who can participate?

Carers with weaning infants aged 8-12 months.

What does the study involve?

Participants are randomly allocated into one of three groups. Those in group 1 (intervention group) are given a 35g daily ration of cereal legume flour with added moringa leaf powder. Those in group 2 (intervention group) are given a 5g daily ration of moringa leaf powder. Those in group 3 (control group) are given a 35g daily ration of cereal legume flour without moringa leaf powder. All participants are given nutrition education by a trained researcher. Questionnaires and interviews are used at the start of the study to assess home life and health

history of participating infants and carers. All infants' have weight and height measurements and a finger prick blood test at the start and end of the study. Families are visited by a researcher every 2 weeks for four months.

What are the possible benefits and risks of participating?

The results of this study will be very useful in informing recommendations for improving the quality of foods fed to infants after the first 6 months of life when weaning foods are introduced. Infants will receive study foods free of charge as well as nutrition education on how to feed infants hygienically. There are no foreseeable risks to participation in this study. The finger prick test may bring temporary discomfort to infants, but it is carried out by a qualified and trained researcher.

Where is the study run from?

University of Ghana Nutrition Research and Training Centre (Ghana)

When is the study starting and how long is it expected to run for?

September 2014 to November 2015

Who is funding the study?

International Development Research Centre (Canada)

Who is the main contact?

Mrs L Boateng

Contact information

Type(s)

Scientific

Contact name

Mrs Laurene Boateng

ORCID ID

<https://orcid.org/0000-0003-3195-6040>

Contact details

PO BOX

Accra

Ghana

+233

Additional identifiers

Protocol serial number

GHS-ERC 07/09/14

Study information

Scientific Title

Effect of complementary foods that incorporate moringa leaf powder, on growth and micronutrient status of Ghanaian infants from age 8-12 months: a randomised controlled trial

Study objectives

Infants fed moringa leaf powder either as part of cereal-legume blended flour or as a food supplement for 4 months will have significantly higher weight and length gain, haemoglobin levels and vitamin A levels, than infants fed the cereal-legume blended flour without moringa.

Ethics approval required

Old ethics approval format

Ethics approval(s)

1. Noguchi Memorial Institute for Medical Research - Institutional Review Board, 17/07/2014, ref: NMIMR –IRB CPN -106/14-14.
2. Ghana Health Service - Ethics Review Committee, 22/11/2014, ref: GHS-ERC: 07/09/14.

Study design

Randomised controlled trial

Primary study design

Interventional

Study type(s)

Other

Health condition(s) or problem(s) studied

Protein-energy malnutrition and micro-nutrient malnutrition.

Interventions

1. Group 1 (treatment): 35g daily ration of cereal legume flour with moringa leaf powder plus nutrition education.
2. Group 2 (treatment): 5g daily ration of moringa leaf powder plus nutrition education.
3. Group 3 (control): 35g daily ration of cereal legume flour without moringa leaf powder plus nutrition education.

Intervention Type

Supplement

Primary outcome(s)

Haemoglobin levels after 4 months of daily feeding

Key secondary outcome(s)

Growth after 4 months of daily feeding

Completion date

30/11/2015

Eligibility

Key inclusion criteria

1. Infants aged between 8-12 months
2. Infant is breastfed
3. Caregiver of infant is willing to stay in the study area for the next 4 months
4. Infant tolerates ingredients in the study foods (maize, soya bean, dark green leafy vegetables).

Participant type(s)

Carer

Healthy volunteers allowed

No

Age group

Child

Lower age limit

8 months

Upper age limit

12 months

Sex

All

Key exclusion criteria

1. Infant below 8 months or older than 12 months
2. Infant not breastfed
3. Caregiver of infant is unwilling to stay in the study area for the next 4 months
4. Infant is unable to tolerate ingredients in the study foods (maize, soya bean, dark green leafy vegetables).

Date of first enrolment

10/12/2014

Date of final enrolment

31/07/2015

Locations**Countries of recruitment**

Ghana

Study participating centre

University of Ghana Nutrition Research and Training Centre

Aseewa

Ghana

-

Sponsor information

Organisation

International Development Research Centre

Organisation

University of Ghana

Funder(s)

Funder type

Government

Funder Name

International Development Research Centre

Alternative Name(s)

Centre de recherches pour le développement international, IDRC.CRDI, le Centre de recherches pour le développement international (CRDI), el Centro Internacional de Investigaciones para el Desarrollo (IDRC), International Development Research Centre: IDRC, El Centro Internacional de Investigaciones para el Desarrollo, IDRC, CRDI

Funding Body Type

Government organisation

Funding Body Subtype

National government

Location

Canada

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Study outputs

Output type	Details results	Date created	Date added	Peer reviewed?	Patient-facing?
-------------	-----------------	--------------	------------	----------------	-----------------

Results article	28/06/2018	17/12/2020	Yes	No
Results article	20/11/2018	14/06/2023	Yes	No