

Influence of forearm fractures on gastric emptying

Submission date 21/08/2017	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 12/09/2017	Overall study status Completed	☐ Statistical analysis plan ☐ Results
Last Edited 03/09/2021	Condition category Surgery	☐ Individual participant data ☐ Record updated in last year

Plain English summary of protocol

Background and study aims

Aspiration of gastric content is the entry of stomach contents into the lungs. It is a major complication during surgery with anaesthesia. Therefore before surgery it is important to know that the patient has fasted. It seems common knowledge that only a fasted patient can undergo elective surgery. Under normal circumstances a patient is considered fasted 6 hours after their last solid meal and 2 hours after the intake of clear fluids. A non-fasted patient has an increased anaesthetic risk. Trauma (injury) is believed to delay gastric (stomach) emptying and negatively affects fasting status. However, this assumption is not supported by broad evidence. It seems plausible that minor trauma (i.e. a forearm fracture) affects gastric emptying to a lesser degree than major trauma. The aim of this study is to find out whether a minor trauma (forearm fracture) can delay gastric emptying.

Who can participate?

Patients aged 18 and over with a forearm fracture that needs surgical repair

What does the study involve?

Gastric emptying is assessed by ultrasound scans of the upper left abdomen at admission and before surgery.

What are the possible benefits and risks of participating?

The possible benefit for the participants is a verified fasting status before surgery. This is beneficial for the anaesthetic management. The risks of an abdominal ultrasound scan are almost negligible.

Where is the study run from?

AUVA-Unfallkrankenhaus Wien Lorenz Böhler (Austria)

When is the study starting and how long is it expected to run for?

May 2017 to October 2023

Who is funding the study?

AUVA Institute for Traumatology Research (Austria)

Who is the main contact?

1. Dr Daniel Lahner
2. Prof. Gerhard Fritsch

Contact information

Type(s)

Scientific

Contact name

Dr Daniel Lahner

Contact details

Donaueschingenstraße 13
Vienna
Austria
1200

Type(s)

Scientific

Contact name

Prof Gerhard Fritsch

Contact details

Donaueschingenstraße 13
Vienna
Austria
1200

Additional identifiers

Protocol serial number

EK-29-2017

Study information

Scientific Title

Does a forearm fracture delay gastric emptying assessed by ultrasound? A prospective observational study in adult trauma patients

Study objectives

Null hypothesis: A forearm fracture does not delay gastric emptying.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Ethics committee of AUVA hospitals, 05/07/2017, ref: EK-29-2017

Primary study design

Observational

Study design

Prospective observational single cohort study

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Preoperative gastric emptying

Interventions

The aim of this study is to test preoperative gastric emptying in patients with a fractured forearm. Gastric content will be assessed by an abdominal ultrasound examination at admission and before surgery. The total duration of the observation will be the time span between admission and eligibility for surgery (approx. 6-8 hours) with no additional follow up planned.

Intervention Type

Other

Primary outcome(s)

Gastric emptying, determined by measuring gastric content with an abdominal ultrasound examination at admission (baseline, timepoint 1) and at eligibility for surgery (timepoint 2)

Key secondary outcome(s)

1. Pain, measured using the visual analogue scale (VAS)
2. Medication/relevant co-morbidities, retrieved from medical history
3. Factors influencing the quality of the ultrasound examination, determined posthoc

Completion date

31/10/2023

Eligibility**Key inclusion criteria**

1. Adult patients suffering from a forearm fracture that deems postponed urgent surgical fixation
2. Age 18+ years; no maximum age is specified in the protocol

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 Years

Sex

All

Key exclusion criteria

1. Pregnant patients
2. Patients with fractures that need urgent surgical intervention
3. Patients suffering from fractures in multiple locations

Date of first enrolment

01/09/2017

Date of final enrolment

01/09/2023

Locations

Countries of recruitment

Austria

Study participating centre

AUVA Traumazentrum Wien

Donaueschingenstraße 13

Vienna

Austria

1200

Study participating centre

AUVA Trauma Centre Salzburg

Dr.-Franz-Rehrl-Platz 5

Salzburg

Austria

5010

Sponsor information

Organisation

AUVA Traumazentrum Wien

Organisation

Funder(s)

Funder type

Research organisation

Funder Name

AUVA Institute for Traumatology Research

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study will be available upon request from the investigator (Dr Daniel Lahner). Available data: Individual participant data that underlie the results, after deidentification (text, tables, figures, and appendices). The data will be available beginning 3 months and ending 3 years following article publication to researchers who provide a methodologically sound proposal for data meta-analysis. Proposals should be directed to Dr Daniel Lahner. To gain access, data requestors will need to sign a data access agreement. Data will be made available via a secure encrypted file transfer service. Patient data is anonymised by consecutive numbering. The informed consent obtained from the participants includes approval of data sharing after deidentification.

IPD sharing plan summary

Available on request