

'In-house' referrals : a primary care alternative to immediate secondary care referrals.

Submission date 23/01/2004	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol
Registration date 23/01/2004	Overall study status Completed	☐ Statistical analysis plan ☒ Results
Last Edited 18/01/2010	Condition category Other	☐ Individual participant data

Plain English summary of protocol
Not provided at time of registration

Contact information

Type(s)
Scientific

Contact name
Prof Paul Kinnersley

Contact details
Department of General Practice
University of Wales College of Medicine
Llanedeyrn Health Centre
Maelfa
Cardiff
United Kingdom
CF23 9PN
+44 (0)29 2054 1133
Kinnersley@cf.ac.uk

Additional identifiers

Protocol serial number
PSI06-24

Study information

Scientific Title

Study objectives

Methods are needed to ensure that those patients referred from primary to secondary care are those most likely to benefit. In-house referral is the referral of a patient by a general practitioner to another general practitioner within the same practice for a second opinion on the need for secondary care referral. To describe whether in-house referral is practical and acceptable to patients, and the health outcomes for patients.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Not provided at time of registration

Primary study design

Interventional

Study design

Randomised controlled trial

Study type(s)

Other

Health condition(s) or problem(s) studied

Not applicable

Interventions

Practices were randomized into an intervention or a control group. In intervention practices, patients with certain conditions who were about to be referred to secondary care were referred in-house. If the second clinician agreed referral was appropriate the patient was referred on to secondary care. In control practices patients were referred in the usual fashion. Patient satisfaction and health status was measured at the time of referral, 6 months and one year.

Intervention Type

Other

Phase

Not Applicable

Primary outcome(s)

1. Health status: SF 36
2. Patient Satisfaction: Medical Interview Satisfaction Scale (MISS)

Key secondary outcome(s)

Not provided at time of registration

Completion date

01/04/1997

Eligibility

Key inclusion criteria

Patients judged to need hospital referral by their general practitioners. In the intervention practices, these patients were initially referred 'in-house' to another GP in the same practice. In control practices, patients were referred directly to hospital.

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Other

Sex

All

Key exclusion criteria

Does not match inclusion criteria

Date of first enrolment

01/04/1995

Date of final enrolment

01/04/1997

Locations**Countries of recruitment**

United Kingdom

Wales

Study participating centre

Department of General Practice

Cardiff

United Kingdom

CF23 9PN

Sponsor information**Organisation**

Record Provided by the NHS R&D 'Time-Limited' National Programme Register - Department of Health (UK)

Funder(s)

Funder type

Government

Funder Name

NHS Primary and Secondary Care Interface National Research and Development Programme (UK)

Results and Publications

Individual participant data (IPD) sharing plan

IPD sharing plan summary

Not provided at time of registration

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Results article	results	01/01/1998		Yes	No
Results article	results	01/12/1999		Yes	No