

FreeStyle Libre potential in-reader correction study

Submission date 15/09/2017	Recruitment status No longer recruiting	☐ Prospectively registered ☐ Protocol ☐ Statistical analysis plan ☒ Results ☐ Individual participant data
Registration date 21/09/2017	Overall study status Completed	
Last Edited 21/11/2024	Condition category Nutritional, Metabolic, Endocrine	

Plain English summary of protocol

Background and study aims

Diabetes is a lifelong condition where the amount of sugar in the blood is too high. The aim of this study is to test the performance of the masked FreeStyle Libre Flash Glucose Monitoring System with and without a potential In-Reader correction, a device designed for people with diabetes to monitor their blood sugar.

Who can participate?

Patients aged 18 and over with type 1 or 2 diabetes

What does the study involve?

Participants wear two masked (blinded) sensors for up to 14 days and take at least four fingerstick blood sugar readings per day whilst wearing the sensors. Participants attend up to six visits at the clinical study site, three of the visits consist of up to 8 hours blood sampling at regular intervals.

What are the possible benefits and risks of participating?

There may be no direct benefit to the participant. The only risks of participating in this study are associated with blood sample collection. These are small but could include pain, bruising, local infection and fainting.

Where is the study run from?

BioKinetic Europe (UK)

When is the study starting and how long is it expected to run for?

September 2017 to March 2018

Who is funding the study?

Abbott Diabetes Care Ltd (UK)

Who is the main contact?

Dr Pamela Reid

Contact information

Type(s)

Public

Contact name

Dr Pamela Reid

Contact details

Range Road
Witney
United Kingdom
OX29 0YL

Additional identifiers

Integrated Research Application System (IRAS)

230816

Protocol serial number

ADC-UK-PMS-17031

Study information

Scientific Title

Effectiveness of a potential in-reader correction for FreeStyle Libre flash sensor glucose data

Study objectives

Assess the accuracy of the FreeStyle Libre Flash Glucose Monitoring System measured using percentage of readings that are within $\pm 20\%$ of the YSI reference value for glucose levels ≥ 80 mg/dL (4.4 mmol/L) and within ± 20 mg/dL (1.1 mmol/L) for YSI glucose levels < 80 mg/dL (4.4 mmol/L), with and without a potential In-Reader correction.

Ethics approval required

Old ethics approval format

Ethics approval(s)

Health and Social Care Research Ethics Committee A (HSC REC A), 11/09/2017, REC ref: 17/NI/0156

Study design

Prospective single-arm trial

Primary study design

Interventional

Study type(s)

Diagnostic

Health condition(s) or problem(s) studied

Diabetes mellitus

Interventions

Participants will wear two masked sensors for a period of up to 14 days. They will be requested to obtain at least four fingerstick readings per day whilst wearing the sensors (using the built-in test strip port in one of the study readers). Participants will have three in-clinic visits; each in-clinic visit will consist of eight hours of reference sampling at 15 minute intervals, from an IV port.

Intervention Type

Device

Phase

Not Applicable

Drug/device/biological/vaccine name(s)

FreeStyle Libre Flash Glucose Monitoring System

Primary outcome(s)

The point accuracy of the FreeStyle Libre Flash Glucose Monitoring System, measured using percentage of readings that are within $\pm 20\%$ of the YSI reference value for glucose levels ≥ 80 mg/dL (4.4 mmol/L) and within ± 20 mg/dL (1.1 mmol/L) for YSI glucose levels < 80 mg/dL (4.4 mmol/L), with and without a potential In-Reader correction. Measured on days 1, 2, 5, 7, 11 and 14 of sensor wear.

Key secondary outcome(s)

No secondary outcome measures

Completion date

31/03/2018

Eligibility**Key inclusion criteria**

1. Aged 18 years or over
2. Type 1 or type 2 diabetes requiring insulin therapy for at least 6 months prior to enrolment
3. Participant reports self-testing their blood glucose levels at least twice per day
4. Suitable venous access for study participation

Participant type(s)

Patient

Healthy volunteers allowed

No

Age group

Adult

Lower age limit

18 years

Sex

All

Total final enrolment

27

Key exclusion criteria

1. Have a known allergy to medical grade adhesive
2. Be pregnant or planning to become pregnant within the study duration
3. Have skin abnormality at the application sites
4. Have a pacemaker or any other neurostimulators
5. Have concomitant medical condition which in the investigator's opinion could interfere with the study or present a risk to the safety or welfare of the participant or study staff
6. Have anaemia
7. Currently participating in another clinical study
8. Participant is unsuitable for participation due to any other cause as determined by the Investigator

Date of first enrolment

18/09/2017

Date of final enrolment

28/02/2018

Locations

Countries of recruitment

United Kingdom

England

Study participating centre

BioKinetic Europe

United Kingdom

BT2 7BA

Study participating centre

MAC Research Ltd

Nelson Street

Manchester

United Kingdom

M13 9NQ

Sponsor information

Organisation

Abbott Diabetes Care Ltd

ROR

<https://ror.org/03wnay029>

Funder(s)

Funder type

Industry

Funder Name

Abbott Diabetes Care

Alternative Name(s)

Funding Body Type

Private sector organisation

Funding Body Subtype

For-profit companies (industry)

Location

United States of America

Results and Publications

Individual participant data (IPD) sharing plan

The datasets generated during and/or analysed during the current study are/will be available upon request from ADC_Witney_ClinicalAffairs@abbott.com.

IPD sharing plan summary

Available on request

Study outputs

Output type	Details	Date created	Date added	Peer reviewed?	Patient-facing?
Basic results	version 24	21/11/2024	21/11/2024	No	No
HRA research summary			26/07/2023	No	No